Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

(The Name ANDORRA guarantees the quality)

CANADA UNLEACHED HARD-WOOD ASHES

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500

lbs. for new lawns.

50-1	b. bag 100-lb.	bag 200-lb. bl	ol. Ton	Cars, 15 to 20 tons
F. O. B. cars \$0	85 \$1 2	25 \$2 00	\$18 00	At special
By wagon 1	00 1 5	50 2 50	20 00	prices

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run

through a drill. Use 500 lbs. per acre.

100	lb bag	Ton	Cars, 12 to 25 tons
F. O. B. cars			\$9 per ton.
By wagon	1 25	13 00	

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

	100 1	b. bag	To	n	Cars, 12 to 25 tons
F. O. B. cars			\$13 15		\$11.50 per ton.

PEAT We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., \$1. In sacks, \$15 per ton.

SPHAGNUM MOSS

An excellent quality on hand. Large bales, \$2 each.

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the state laws require it.

TERMS AND CONDITIONS

ORDERS.—All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

STOCK SELECTED by customers at the Nurseries will be charged

according to the value of the trees chosen.

 ${\bf QUANTITY}.$ —Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING. All goods are thoroughly packed, thus avoiding risk if delayed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

bill and present your claim through him promptly.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within **five days** after receipt of goods. **We give no guarantee of the life of stock**.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility.

Address all orders to

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address
CHESTNUT HILL, PHILADELPHIA

Cable Address
"ANDORRA," PHILADELPHIA



Transplanting Norway Spruce


EVERGREEN TREES

E VERGICEEN TREES			
	ach	10	0
ABIES balsamea. Balsam Fir. 2 to $2\frac{1}{2}$ ft\$1	00	\$7	50
$2\frac{1}{2}$ to 3 ft\$75 per 100 1	50	10	00
4 to 5 ft → 2		20	00
Canadensis. See Tsuga Canadensis			
	50	30	00
$3\frac{1}{2}$ to 4 ft			00
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots 6$			
$4\frac{1}{2}$ to 5 ft			
5 to 6 ft			
6 to 7 ft			
nobilis, var. glauca. Noble Silver Fir. 3 to $3\frac{1}{2}$ ft 3		30	00
	50		AA
4 to 5 ft 5	00		
	50	32	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 4$	50	42	50
$3\frac{1}{2}$ to 4 ft		57	50
4 to $4\frac{1}{2}$ ft. Specimens		70	00
$4\frac{1}{2}$ to 5 ft. Specimens			
5 to $5\frac{1}{2}$ ft. Specimens			
6 to 12 ft. Fine specimens. Prices on application.			
	50	10	00
	50	20	00
5 to 6 ft	00	27	50
6 to 7 ft	00	35	00
Veitchii. Veitch's Silver Fir. 5 to 6 ft	50		
BIOTA orientalis. Oriental Arborvitæ. 3 to 4 ft	00	15	on
5 to 6 ft			00
	50		00
	50	00	-0
orientalis, var. aurea. 2 to 3 ft			
VARIANCE VIII. WILLOWS & CO O TO	00		

BIOTA orientalis, var. aurea nana. 2 to 2½ ft	Ea \$3	ch 50	10	O
orientalis, var. aurea pyramidalis. 2 to 3 ft			\$20	00
3 to 4 ft		50		
4 to 5 ft	5	00		
orientalis, var. compacta. Compact Chinese Arborvitæ		20		
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$		50		00
3½ to 4 ft	5	00		00
5 to 6 ft	7	50		00
orientalis, var. conspicua. 4 to 5 ft	5	00		
5 to 6 ft	7	50	70	00
orientalis, var. elegantissima. Rollinson's Golden Ar-				
borvitæ. 3 to $3\frac{1}{2}$ ft	2	50		
3½ to 4 ft	4	00		
4 to 6 ft\$5 to	1			
orientalis, var. filiformis; syn., Japonica. Thread- branched Arborvitæ. 2 to $2\frac{1}{2}$ ft	2	00		
3 to $3\frac{1}{2}$ ft	3	50		
4 to 5 ft\$6 to	7	50		
orientalis, var. semperaurescens. Ever-golden Arbor-				
vitæ. 2 to $2\frac{1}{2}$ ft	2	50		
$2\frac{1}{2}$ to 3 ft	3	50		
CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar-				
$3\frac{1}{2}$ to 4 ft	3	50		
4 to 5 ft	4	50		
5 to 6 ft 6 to 7 ft	6	00 50		
Deodara. Deodar, or Indian Cedar. 4 to $4\frac{1}{2}$ ft	7	50		
Libani, var. Sargenti pendula. 2 ft	3	50		
CEPHALOTAXUS Frotunei. Fortune's Yew. 2½ to 3 ft	3	00		
4 to 4½ ft	4	00		
4 to 6 ft. Very broad and heavy .\$5 to		00		
pedunculata. 5 to $5\frac{1}{2}$ ft		50		
CRYPTOMERIA Japonica elegans. 5 to 6 ft	5	00 50		
Japonica, var. Lobbi compacta. 3 to $3\frac{1}{2}$ ft	2	-	92	FO.
4 to 4\frac{1}{2} ft		50 50	23 32	
5 to 6 ft		00	45	
ILEX opaca. American Holly. 1 to $1\frac{1}{2}$ ft		50	13	
$1\frac{1}{2}$ to 2 ft. Very heavy		00	18	
JUNIPERUS Canadensis, (Spreading) Canadian Juniper-				
12 to 15 in		00		00
15 to 18 in		50	12	50
18 to 24 in.	2	90		
Canadensis, var. aurea; syn., Douglasi. Douglas' Golden Juniper. 12 to 15 in	1	00	8	50
15 to 18 in		50	12	
18 to 24 in. Heavy	2	00	17	50
2 ft. Heavy	2	50	20	
2 x 2½ ft. Heavy		50		50
3 x 3½ ft	5	00	40	UU
Canadensis, var. prostrata. Trailing Canadian Juniper. 12 to 18 in	1	25	10	00
18 to 24 in			17	

	E	ach	10	1
JUNIPERUS	Chinensis. Chinese Juniper. 3 ft\$2	00	\$17	50
	$3\frac{1}{2}$ to 4 ft		32	
	$4\frac{1}{2}$ to 5 ft		45 55	00
	6 to 7 ft	50	70	
	Chinensis, var. argentea marginata. A grand			
	hardy variety. $2\frac{1}{2}$ to 3 ft	00		50
36		50	42	
3.5	5 to 6 ft	50	41	50
	6 to 8 ft. Specimens	00		
	Chinensis, var. aurea. Golden Chinese Juniper-			
	$2\frac{1}{2}$ to 3 ft	50		
		00		
	Chinensis, var. Pfitzeriana. $1\frac{1}{2}$ to 2 ft			
	communis. Common Upright Juniper—			
	2 to $2\frac{1}{2}$ ft		13	50
	4 to 5 ft			
		00		
	communis, var. Hibernica. Irish Juniper 3 to 4 ft	50		
		00		
		50		
	communis, var. Suecica. Swedish Juniper-			
	$2\frac{1}{2}$ to 3 ft	50		
		00		
		50		
	Japonica. 2 to $2\frac{1}{2}$ ft	50 50		
	2½ to 3 ft	30		
		50	22	50
	$2\frac{1}{2}$ to $\tilde{3}$ ft			50
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 4$	00	37	
-	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	41	50
	$4\frac{1}{2}$ to $\tilde{5}$ ft			
	5 to $5\frac{1}{2}$ ft			
	recurva. $1\frac{1}{2}$ to 2 ft	00	18	50
	recurva, var. squamata. Scaly-leaved—	00	10	
		00 50		50 50
		00		50
		50		
		00	9 (00
	18 to 24 in	00		50
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2$	50	22	50
	Sabina, var. aurea variegata. Savin's Golden	00	10	50
		50	18 13	
	Sabina, var. tamariscifolia. 12 to 18 m ↓ 1 Virginiana. Red, or Virginia Cedar. 3 to 3½ ft 1		13	
	$3\frac{1}{2}$ to 4 ft	50	22	
	4∮ to 5 ft	50	32	50
	5 to 8 ft	50		

	-	,	10	
JUNIPERUS Virginiana, var. glauca. Blue Virginia Cedar—	Ea	en	10	,
$3 \text{ to } 3\frac{1}{2} \text{ ft. Extra heavy.}$ $4 \text{ to } 4\frac{1}{2} \text{ ft. Extra heavy.}$ $+$	\$2	50		
4 to 4½ ft. Extra heavy	3.	50	\$32	50
5 to 6 ft. Extra heavy	10	00	99	00
As attractive in color as Koster's Blue Spruc	e.	00		
Virginiana, var. Kosteri (spreading).				
12 to 15 in	. 1		.13	
18 to 24 in		50	23	50
Virginiana, var. Leei elegantissima. Golden Virginian Cedar—				
2½ to 3 ft	. 2	50	20	00
3 to $3\frac{1}{2}$ ft. Extra heavy	. 3	50	32	50
4½ to 5 ft. Extra heavy.	10	00		
5 to 7 ft. Extra heavy				
Virginiana, var. Schotti. 3 to 3½ ft			20	00
4 to 5 ft				50
5 to 6 ft	. 5	00		00
6 to 8 ft				
PICEA alba. White Spruce. $2\frac{1}{2}$ to 3 ft				50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3	50		00
4 to 5 ft	. 5	00		00
5 to 6 ft. Specimens	. 7	50	70	00
6 to 9 ft. Very fine specimens				
Alcockiana. Alcock's Spruce. $2\frac{1}{2}$ to 3 ft 3 to $3\frac{1}{2}$ ft				
Engelmanni. Engelmann's Spruce—	. 0	00		
4 to 5 ft	0 7	50		
excelsa. Norway Spruce. 2½ to 3 ft	. 1	00	9	00
3 to 3½ ft	. 2	00		50
$3\frac{1}{2}$ to $\frac{4}{9}$ ft 4 to $4\frac{1}{2}$ ft				50
4½ to 5 ft				50
5 to 6 ft. Specimens				00
6 to 7 ft. Specimens	. 6	00	57	50
Beautiful stock, low-branched and bushy.	10	00		
excelsa, var. aurea. Golden Norway Spruce. 5 to $5\frac{1}{2}$ ft.	. 5	00		
excelsa, var. inverta. Weeping Norway Spruce-				
3 ft		00		
4 ft				
excelsa, var. pendula. Pendulous Norway Spruce—	10	00		
3 to $3\frac{1}{2}$ ft				
excelsa, var. Remonti. 2 to $2\frac{1}{2}$ ft	. 2	50		
orientalis. Eastern Spruce. 3 to 3½ ft				50
3½ to 4 ft	. 5	00	45	00
$4\frac{1}{2}$ to 5 ft. $+$.87.50 to 5 to 7 ft. $+$.810 to	15	00		
orientalis, var. gracilis. Graceful Eastern Spruce. 32 ft				
pinsapo. Spanish Fir. 2 to 2½ ft			32	50
polita. Tiger's Tail Spruce. 4 to 6 ft				00



Doading White I mes				
		ich	1	
PICEA pungens. Colorado Spruce. 2 to 2½ ft	.\$2	50	\$22	50
$2\frac{1}{2}$ to 3 ft	. 3	00	27	50
3 to $3\frac{1}{2}$ ft	. 4	00	37	50
$3\frac{1}{2}$ to 4 ft	. 5	00	45	00
4 to 5 ft	. 7	50		
5 to 8 ft	15	00		
pungens, var. glauca. Blue Colorado Spruce—				
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots +$. 3	00	28	00
$2\frac{1}{2}$ to $\tilde{3}$ ft	. 3	50	32	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots + $				
$3\frac{1}{2}$ to $\tilde{4}$ ft				
5 to 10 ft				
Larger specimens. Prices on application.				
pungens, var. Kosteriana. Koster's Blue Colorado Spru	ice-	_		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots $			32	50
2½ to 3 ft		50		
3° to $3\frac{1}{2}$ ft	10	00		
$3\frac{1}{2}$ to $\tilde{4}$ ft				
4 to 7 ft. Grand specimens	35	00		
pungens, var. pendula. Weeping Blue Colorado Spruce				
$3\frac{1}{2}$ to 4 ft. Fine specimens		00		
4 to $4\frac{1}{2}$ ft. Fine specimens				
PINUS Austriaca. Austrian Pine. 2 to 2½ ft		50	12	50
$3\frac{1}{2}$ to 4 ft		50	20	00
4 to $4\frac{1}{2}$ ft			32	50
4½ to 5 ft		00	47	50
5 to 7 ft\$6 to		00		
Cembra. Swiss Stone Pine. 2 to $2\frac{1}{2}$ ft		50	22	50
2½ to 3 ft		50	32	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	4	00	37	50
$3\frac{1}{2}$ to 4 ft	5	00	47	50
4 to 4½ ft	7	50		
5 to 6 ft	10	00		
O to o 10 7				

PINUS excelsa. Bhotan Pine. 2 to 2½ ft	0 \$13 8 0 22 8 0 32 8 0 45 0 0 0 13 8 0 17 8 0 17 8 0 0 17 8 0 0 32 8 0 37 8 0 0	50, 50 50 50 50 50 50
Strobus. White Pine. 15 to 18 in	5 6 0 8 6 0 12 6 0 17 6 0 20 0 27 6 0 32 6 0	00 50 58 50 00 50
·	0 22 0 32	00 50 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 75 & 15 \\ 60 & 22 \end{array}$	00
$3\frac{1}{2}$ to 4 ft	50 32 50 22 50 32 00 50 00	50
2×2 ft. 3 5 $2 \times 2\frac{1}{2}$ ft. 5 6 filifera, var. aurea variegata. Golden Variegated Thread-branched Japan Cypress. 4 ft. 5 6	00	

RETINOSPORA leptoclada. Thuya-like Japan Cypress—	Each	1	0
2½ to 3 ft	3 00 3 50 5.2 00 2 50	0 27 0 32 0 0	50 50 50
obtusa. Obtuse-leaved Japan Cypress— 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft 4½ to 5 ft 5 to 6 ft obtusa, var. compacta. Compact Obtuse	2 00 2 50 3 5 5 0 7 5	0 18 0 22 0 32 0 47	50 50 50 50 00
leaved Japan Cypress. 2 to $2\frac{1}{2}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cc} 0 & 32 \\ 0 & 47 \end{array}$	50 50 50
obtusa, var. nana. Dwarf Obtuse-leaved Japa Cypress. 1 ft. 1½ ft. 2 ft. 2½ ft. 3 ft. 3½ ft. 5 ft. 4 to 5 ft. 5 Specimens 5 Specimens 5 Specimens 6 Obtusa, var. nana aurea. Dwarf Golden Obtuse-leaved Japan Cypress	2 0 2 5 3 0 4 0 5 0 15 0	0 22 0 27 0 37 0 47 0 55	50 50 50 50 50 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 5 0 10 0 t. 2 5 . 3 5 . 6 0 . 7 5	00 00 50 22 50 32 00 47 00 55	2 50 2 50 7 50 6 00 0 00
pisifera, var. aurea. Golden Pea-fruited Japa Cypress. 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 4½ ft 5 to 6 ft. Specimens \$7.50 to 6 to 8 ft. Specimens \$12.50 to	1 5 6 6 12 5 6 12 5	50 00 18 00 27 50 30 00 37 00 47	3 00 7 50 0 00 7 50 7 50
plumosa. Plume-like Japan Cypress. 1 ft 1½ ft 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3½ to 4 ft. Specimens 4 to 5½ ft. Specimens \$7.50 to	. 1 (. 1 (. 2 (. 3 (. 7 (50 2 50 1 50 2 50 3 50 3	4 00 9 00 3 50 2 50 2 50

PRICE-LIST FOR SPRING OF 1908	11
Each	10
RETINOSPORA plumosa, var. argentea. 1½ to 2 ft\$1 00	\$ 9 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
4 to 5 ft	47 50 70 00
plumosa, var. aurea. Golden Plume-like	70 00
Japan Cypress. 12 in 50	4 00
12 to 18 in	6 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
$2\frac{1}{2}$ to $\hat{3}$ ft	$32 \ 50$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$3\frac{1}{2}$ to 4 ft. Specimens	
4 to $4\frac{1}{2}$ ft. Specimens	
5 to 8 ft. Specimens	
plumosa, var. flavescens. $2\frac{1}{2}$ to 3 ft $+$ 3 50 plumosa, var. sulphurea. $2\frac{1}{2}$ to 3 ft $+$ 3 50	
3 to $3\frac{1}{2}$ ft 5 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
squarrosa. Squarrose-leaved Japan Cypress—	
1½ to 2 ft	13 50
2 to $2\frac{1}{2}$ ft. Sheared; heavy	22 50
$2\frac{1}{2}$ to 3 ft. Sheared; heavy	30 00
3 to $3\frac{1}{2}$ ft. Sheared; heavy	45 00
$3\frac{1}{2}$ to 4 ft. Heavy specimens	70 00
4 to $4\frac{1}{2}$ ft. Heavy specimens	90 00
$4\frac{1}{2}$ to 5 ft. Heavy specimens . \$12.50 to 15 00 5 to 10 ft \$15 to 35 00	
This is excellent stock; exceptionally	
broad, bushy and low-branched.	
SCIADOPITYS verticillata. Umbrella Pine. 3 to 3½ ft	
4 to 5 ft	
5 to 6 ft	
TAXUS Canadensis. Canadian Yew. 15 to 18 in → 1 50	13 50
Canadensis, var. aurea. Golden Canadian Yew-	
2 ft → 2 50	$22 \ 50$
$2\frac{1}{2}$ ft 3 50	32 50
3 ft ★ 5 00	47 50
$3\frac{1}{2}$ to 5 ft	10.50
baccata. English Yew. $1\frac{1}{2}$ to 2 ft. 1 50 2 to $2\frac{1}{2}$ ft. $+$ 2 00	$\frac{12}{17} \frac{50}{50}$
$2\frac{1}{2}$ to 3 ft. $2\frac{1}{2}$ to 3 ft. $2\frac{1}{2}$ to 3	22 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ 3 50	32 50
$3\frac{1}{2}$ to 4 ft. Specimens	47 50
4 to $4\frac{1}{2}$ ft. Specimens 7 50	
$4\frac{1}{2}$ to 6 ft. Specimens	
haccata, var. adpressa. Adpressed Yew. 3 to $3\frac{1}{2}$ ft. $+$. 3 50	
baccata, var. aurea. Golden English Yew-	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
$2\frac{1}{2}$ to 3 ft	
baccata, var. Dovastoni. Dovaston's Yew—	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 1 50$	12 50
$2\frac{1}{2}$ to $\frac{3}{2}$ ft. 275 3 to $3\frac{1}{2}$ ft. 350	25 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3 50$	$32 \ 50$
$3\frac{1}{2}$ to 4 ft. Specimens	
baccata, var. Dovastoni aurea. Dovaston's Golden Yew	35 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ \$\delta \delta \delta \text{ft.} \delta \text{5 to } 12 \delta 0 \delta \text{5 to } 12 \delta 0	99 OO
5 to 6 ft. Specimens	

		Eac	h	10)
TAXUS	baccata, var. elegantissima. Elegant English Yew—				
	3 to $3\frac{1}{2}$ ft. $+$. \$5 to	\$4 (12 <i>{</i>	50		
	$3\frac{1}{2}$ to $4\frac{1}{2}$ ft. $+$.\$5 to baccata, var. erecia. Erect English Yew. 2 to $2\frac{1}{2}$ ft. $+$.	2 4	50	\$20	00
	2½ to 3 ft	3 8	50 nn		
	4½ to 6 ft	_	JU		
	2 to 25 it	2	75		
	baccata, var. erecta, Overeynder. (Form similar to Fas-	6 (വ	55	00
	tigiata). 4 to $4\frac{1}{2}$ ft. $+$ $4\frac{1}{2}$ to 5 ft. $+$	7	50	72	
	5 to 6 ft	12	50	10	=0
	baccata, var. fastigiata. Irish Yew. 1½ ft	3 .	50 50	$\frac{13}{32}$	
	3½ ft	7 !	50	-	00
	4 to 6 ft. Specimens	15 (00		
	baccata, var. fastigiata aurea. Golden Irish Yew—	2 !	50	22	50
	$2\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft. $+$ \$7.50 to	3	50	32	
	$3\frac{1}{2}$ to 4 ft	10 (00		
	baccata, var. fruticosa lutea. Yellow-fruited English	19 (UU		
	Yew. $4\frac{1}{2}$ to 5 ft. Specimens	7			
	baccata, var. gracilis pendula. 3 to $3\frac{1}{2}$ ft	3 8	50		
	4 to 5 ft. 5 to 6 ft. { NEW }	10 ()O)O		
	baccata, var. repandens. Spreading English Yew-				
	1 to $1\frac{1}{2}$ ft. diameter				
	1½ to 2 ft. diameter		UU		
	English Yew. 2 to $2\frac{1}{2}$ ft	2	50		
	$2\frac{1}{2}$ to 3 ft. $+$. $\$5$ to	3 8	50		
	cuspidata. Abrupt-leaved Japan Yew. 12 to 15 in.	2	00	18	50
	$1\frac{1}{2}$ ft	2	50		
	2 ft		50 00		
	cuspidata, var. brevifolia. 12 to 15 in			18	50
	1½ ft	2	50		
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5 (50 በበ		
	cuspidata, var. capitata. 1½ to 2 ft	3	00	27	50
	cuspidata, var. elegantissima. 3 to 3½ ft	3	50	32	
	4 to $4\frac{1}{2}$ ft		50	42	50
THUYO	PSIS borealis; syn., Cupressus Nutkaensis. Yellow, or Sitka Cypress—				
	5 to 7 ft. Specimens	15 (00		
	borealis, var. latifolia glauca. Glaucous Sitka Cy-			00	-0
	press. 2 to $2\frac{1}{2}$ ft	$\frac{2}{3}$	50 50	$\frac{22}{32}$	
	$4\frac{1}{2}$ to 5 ft. Specimens	7 .	50		
	borealis, var. pendula. Drooping Sitka Cypress—				
	4 to 5 ft	4	50 50		
	Standishi. Standish's Sitka Cypress—				
	6 to 7 ft	7	50		

CHUYA occidentalis. American Arborvitæ— Each 2 to $2\frac{1}{2}$ ft.; very heavy. (\bigstar per 100, \$30) .80 50 $2\frac{1}{2}$ to 3 ft. (\bigstar per 100, \$50) 1 00 3 to $3\frac{1}{2}$ ft. per 100, \$75 1 25 $3\frac{1}{2}$ to 4 ft. per 100, \$100 1 50 4 to $4\frac{1}{2}$ ft; very heavy. per 100, \$175 2 00 $4\frac{1}{2}$ to 5 ft.; very heavy. 2 50 5 to $5\frac{1}{2}$ ft.; very heavy. 3 00 $5\frac{1}{2}$ to 6 ft.; very heavy. 3 50 6 to 7 ft.; very heavy. 4 00 7 to 8 ft.; very heavy. 4 50 8 to 9 ft. Grand specimens. \bigstar S7.50 to 10 00 10 to 11 ft. Grand specimens. \bigstar S10 to 15 00	10 \$3 50 8 00 10 00 13 50 19 00 22 50 27 50 32 50 37 50 42 50
occidentalis, var. aurea. George Peabody's Arborvitæ— 2½ to 3 ft. 1 50 3 to 3½ ft. 2 50 4 to 5 ft. 4 00 5 to 6 ft. 5 00 7 to 8 ft. Specimens \$7.50 to 10 00 8 to 10 ft. Specimens \$10 to 15 00 occidentalis, var. Douglasi. 4 to 5 ft. 3 50	13 50 22 50 37 50 45 00
6 to 7 ft	8 50
15 to 18 in	13 50 22 5 ₀
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9 00 13 50 22 50 32 50
occidentalis, var. Lobbi. Lobb's Arborvitæ. 4 to $4\frac{1}{2}$ ft. 3 00 $4\frac{1}{2}$ to 5 ft 4 50 occidentalis, var. pyramidalis. Pyramidal Arborvitæ—	27 50 42 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13 50 17 50 22 50 32 50
occidentalis, var. Vervaeneana. Vervaene's Arborvitæ— 3 ft. 3 00 3 to 3½ ft. 3 50 3½ to 4 ft. 4 00 4½ to 5 ft. 4 50 5 to 6 ft. 5 00 6 to 7 ft. Specimens. 4 8 00 7 to 8 ft. Specimens. 10 00 8 to 9 ft. Specimens. 15 00	27 50 32 50 37 50 42 50 47 50
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	22 50 32 50 47 50 57 50 72 50

E	ach	1	
THUYA occidentalis, var. Wareana aurea. 2½ ft\$2		\$22	50
$3\frac{1}{2}$ to 4 ft		28	
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots 3$		32	50
$4\frac{1}{2}$ to 5 ft 4	50	42	50
TSUGA Canadensis. Hemlock. $1\frac{1}{2}$ to 2 ft	75	4	00
$2 \text{ to } 2\frac{1}{2} \text{ ft}$	00	7	50
$2\frac{1}{2}$ to 3 ft \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		10	00
3 to $3\frac{1}{2}$ ft CD AND per 100, \$125 1	50	13	50
$\frac{3 \text{ to } 3\frac{1}{2} \text{ to } 4 \text{ ft}}{3\frac{1}{2} \text{ to } 4 \text{ ft}}$ GRAND $\frac{\text{oper 100, $125}}{\text{oper 100, $160}}$	00	17	50
4 to $4\frac{1}{2}$ ft) CTOCK \(\)\ \(\)\ \per 100, \$185 2	25	20	00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	22	50
$5 \text{ to } 5\frac{1}{2} \text{ ft}$	00	27	50
$5\frac{1}{2}$ to 6 ft 3		32	50
6 to 10 ft. Heavy specimens\$4 to 15	00		
The finest and largest stock offered.			
Canadensis, var. Sargenti pendula. Weeping Hemlock			
2 to 5 ft. Specimens	00		
Caroliniana. Southern Hemlock. $2\frac{1}{2}$ to 3 ft	50		
6 to 7 ft. Specimens	00		
Hookeriana. Alpine Hemlock. $2\frac{1}{2}$ to 3 ft		22	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3$		27	50
4 to $4\frac{1}{2}$ ft		37	
5 to 6 ft		01	00
Sieboldi. Japanese Hemlock. 3 to 4 ft 3			
biebold. Japanese Heimock. 5 to 4 1	50		



Showing fibrous roots of hemlock



A Block of Box Bush and Evergreens

EVERGREEN SHRUBS

ANDROMEDA Catesbæi. See Leucothoë.	ch	10
floribunda. 12 in	50	\$13 50
12 to 15 in 1	75	16 00
2 x 2 ft. Specimens		
$2\frac{1}{2} \times 2\frac{1}{2}$ ft. Specimens \bigstar . \$12.50 to 15	00	
Japonica . 12 in		10 00
12 to 15 in → 1	50	$12 \ 50$
AZALEA amœna. 12 to 15 in	00	8 50
15 to 18 in. Bushy 1	50	12 50
	00	17 50
2 ft Bushy		$22 \ 50$
$2\frac{1}{2}$ ft. Specimens	50	
amœna, var. Hinondigiro. Bright carmine.		
10 to 12 in 1	50	$13 \ 50$
BUXUS Japonica; syn., Fortunei. Japanese Box. $1 \text{ to } 1\frac{1}{2} \text{ ft.} \dots 1$		$\frac{12}{17} \frac{50}{50}$
2	UU	17 30
Japonica, var. aurea. Golden Japanese Box—	00	0.00
	00 50	$\begin{array}{c} 9 & 00 \\ 12 & 50 \end{array}$
		$\frac{12}{15} \frac{30}{00}$
$egin{array}{cccccccccccccccccccccccccccccccccccc$		22 50
	90	22 00
sempervirens. Common Box. Ball-shaped—	00	
15 x 15 in		
	50	
2 x 2 ft	90	
sempervirens. Bushes. For spring delivery, 1908—8 to 12 in. Importedper 100, \$25		4 00

PILVIC	ach	1	
BUXUS sempervirens. 1 ft. Andorra-grown per 100, \$40\$0	75		00
$\frac{1\frac{1}{2}}{2}$ ft.; light, Andorra-grown per 100, \$50 1	00		50
2 ft.; Andorra-grown	50		50
$2\frac{1}{2}$ ft.; Andorra-grown	50		50
3 ft.; Andorra-grown. Specimens 4	50		00
3½ ft.; Andorra-grown. Specimens. → 6	00		00
4 ft.; Andorra-grown. Specimens 7	50		50
4½ ft.; Andorra-grown. Specimens . ★10	00	90	00
5 to $5\frac{1}{2}$ ft.; Andorra-grown. Specimens			
→\$12.50 to 25	00		
sempervirens. Pyramids—			
$2\frac{1}{2}$ ft.; Andorra-grown. Specimens	00		
3 ft.; Andorra-grown. Specimens	50	40	00
3 1 1 2 2 2 2 2 2 2 2	00	54	00
4 ft.; Andorra-grown. Specimens	50	70	00
$4\frac{1}{2}$ ft.; Andorra-grown. Specimens	00	90	90
5 ft.; Andorra-grown. Specimens	50	112	50
$5\frac{1}{2}$ ft.; Andorra-grown. Specimens	00	125	00
semper virens. Standards—			
2 ft. stems, 18 in. head. Andorra-grown	50		
2 to $2\frac{1}{2}$ ft. stems, 22 to 24 in. head. Andorra-			
grown	50		
2 to $2\frac{1}{2}$ ft. stems, 24 to 26 in. heads. Andorra-			
grown	50		
sempervirens, var. angustifolia. 12 to 18 in	50	13	50
sempervirens, var. arborescens. Tall Tree Box—	~ 0		
$2\frac{1}{2}$ to 3 ft	50		50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3$		27	50
3½ to 4 ft	00	31	50
sempervirens, var. arborescens variegata. Variegated Tree Box. 3½ ft	50	32	50
sempervirens, var. argentea marginata. Silver-tipped	50	32	90
Box 11 to 2 ft	50	13	50
Box. $1\frac{1}{2}$ to 2 ft	50		00
5 to 5½ ft.	00	00	Ů,
5 to $5\frac{1}{2}$ ft	00	8	50
$2\frac{1}{2}$ to 3 ft	50		50
sempervirens, var. Japonica; syn., latifolia—			
1 to $1\frac{1}{2}$ ft	00	8	50
$1\frac{1}{2}$ to 2 ft	50		50
2 to $2\frac{1}{2}$ ft	50		50
$2\frac{1}{2}$ to 3 ft	50	32	50
sempervirens, var. myrtifolia. Myrtle Leaf.			
$2\frac{1}{2}$ to 3 ft	50	32	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 4$			
sempervirens, var. suffruticosa. Dwarf Box Edging			
3 to 4 in →per 100, \$5; per 1,000, \$40			75
4 to 5 in		1	50
6 to 7 in		2	00
CERASUS Laurocerasus Caucasia. Caucasian Laurel—			
1 to 1½ ft	00	7	50
2 to 3 ft	50	22	50
3 to 4 ft	50	32	50
Laurocerasus, var. Schipkaensis. 1 to $1\frac{1}{2}$ ft \bigstar 1	50	10	00
CHAMÆDAPHNE calyculata. Leather Leaf—			
12 to 18 in	50	. 4	00
	75		00
COTONEASTER microphylla. 12 in	10	0	00

PRICE-LIST FOR SPRING OF 1908	17
Each	10
CRATÆGUS Pyracantha. Evergreen Thorn. 12 in\$0 75	\$6 00
Pyracantha, var. Lelandi. Lelandi's Evergreen Thorn. 1 ft	4 00
DAPHNE Cneorum. 8 to 12 in. Potted	9 50
EUONYMUS radicans and variegata. See Trailing Plants.	
Japonica. Japan Euonymus.	
$1\frac{1}{2}$ to 2 ft\$20 per 100, 50	3 50
Japonica , var. aurea . Golden-leaved Japan Euonymus. 1 to $1\frac{1}{2}$ ftper 100, \$20 50	3 50
ILEX Aquifolium. Common English Holly—	
3 to 4 ft	
crenata. Japanese Holly. Box-leaved— $1\frac{1}{2} \text{ ft.} \qquad 150$	12 50
2 ft 2 00	17 50
2½ ft	32 50
2½ to 3 ft	17 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
$ 3\frac{1}{2} \text{ to } 4 \text{ ft.} $ $ 4 \text{ to } 4\frac{1}{2} \text{ ft.} $ $ 5 00 $	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
crenata, var. microphylla. Small-leaved Japanese Holly—	1. 00
9 to 12 in. Bushy per 100, \$40 75	6 00
9 to 12 in. Bushy per 100, \$40. 75 12 to 15 in. Bushy per 100, \$50. 1 00 15 to 18 in. Bushy per 100, \$60. 1 25	8 50 10 00
1½ to 2 ft. Bushy	15 00
3\frac{1}{2} ft. Heavy specimens	
4 to 5½ ft. Heavy specimens\$7.50 to 12 50	0 50
KALMIA latifolia. Mountain Laurel. 2 ft 1 00 3 ft 2 50	$\begin{array}{ccc} 8 & 50 \\ 22 & 50 \end{array}$
3 to $3\frac{1}{2}$ ft	27 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$
$2\frac{1}{2}$ ft. Heavy clumps	22 50
$2\frac{1}{2}$ to 3 ft. Heavy clumps	28 50
3 to $3\frac{1}{2}$ ft. Heavy clumps 3 50 $3\frac{1}{2}$ to 4 ft. Heavy clumps 5 00	32 50
LAURELS. See Cerasus Laurocerasus.	
LEUCOTHOE Catesbæi. Drooping Andromeda—	
12 to 15 in. Clumps	8 50
15 to 18 in. Clumps	$\begin{array}{ccc} 12 & 50 \\ 16 & 50 \end{array}$
1½ to 2 ft. Clumps	18 50
MAHONIA Aquifolium. Holly-leaved—	
12 to 15 in	$\frac{4}{7} \frac{00}{00}$
18 to 24 in	9 00
24 to 30 in per 100, \$100 1 50	13 50
Japonica. Japanese Mahonia— 2 to 2½ ft	18 50-
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \qquad \qquad 2 \text{ 00}$	27 50
OSMANTHUS ilicifolia. 18 to 24 in	18 50
24 to 30 in	22 50 12 50



RHODODENDRONS

HYBRID VARIETIES.—ANDORRA GROWN

RHODODENDRONS,	Catawbiense Hybrids Assorted. Our se-	
- *	lection of varieties— Each	10
	$1\frac{1}{2}$ to 2 ftper 100, \$100\$1 50	
	2 to $2\frac{1}{2}$ ft per 100, \$175 2 50	
	Our stock of large, heavy plants, $3\frac{1}{2}$	20 00
_	to 5 ft. in height is unusually	
	fine. Prices on application.	
	Atropurpureum. 2 to $2\frac{1}{2}$ ft 2 00	17 50
	Abraham Lincoln. Rosy crimson.	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
	Album elegans. White. $1\frac{1}{2}$ to 2 ft 1 50	12 50
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 00$	
•	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3 50$	
	$3\frac{1}{2}$ to 5 ft	
	Album grandiflorum. White. 2 to $2\frac{1}{2}$ ft 2 00	17 50
	$2\frac{1}{2}$ to 3 ft	27 50
	$3\frac{1}{2}$ to 5 ft\$3.50 to 7 50	
	Atrosanguineum. Dark scarlet. 1½ ft 1 75	16 00
*	Betsy Parsons. Reddish purple.	
	$2\frac{1}{2}$ to 3 ft	32 50
	Blandyanum. Rosy crimson. 1½ to 2 ft 2 00	
	2 to $2\frac{1}{2}$ ft 2 50	
	$2\frac{1}{2}$ to 3 ft\$3.50 to 5 00	
	3 to 4 ft. Specimens\$5 to 15 00	


PRIC	CE-LIST FOR SPRING OF 1908	19
	Each	10
RHODODENDRONS,	B. W. Elliott. Deep rose. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots . $	\$17 50
	3 to 3½ ft\$3.50 to 5 00	17 50
	Caractacus. Purplish crimson. $1\frac{1}{2}$ to 2 ft. 2 00 2 to $2\frac{1}{2}$ ft 2 50	$\frac{17}{22} \frac{50}{50}$
	$2\frac{1}{2}$ to 3 ft	00
	Chancellor, Light purple. 3 to 3½ ft 3 50	$32 \ 50$
	Charles Bagley. Bright red. $1\frac{1}{2}$ ft 2 00	17 50
	Charles Dickens. Scarlet. $1\frac{1}{2}$ to 2 ft 2 00	18 00
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 250$ Delicatissimum. White. $1\frac{1}{2} \text{ to } 2 \text{ ft.} \dots 150$	22 50 13 50
	2 to $2\frac{1}{2}$ ft	17 50
	$2\frac{1}{2}$ to 3 ft	32 50
	Duchess of Bedford. Crimson. $1\frac{1}{2}$ to 2 ft 1 75	15 00
	$2\frac{1}{2}$ to 3 ft	32 50
	Everestianum. Rosy lilac. $1\frac{1}{2}$ ft 1 75 2 ft 2 50	$\begin{array}{ccc} 15 & 00 \\ 22 & 50 \end{array}$
	2½ ft	32 50
	3 to 3½ ft\$5 to 10 00	
	General Grant. Red. $1\frac{1}{2}$ to 2 ft 2 00	18 00
	2 to 2½ ft	22 50
	Giganteum. Rosy crimson. $1\frac{1}{2}$ ft 1 50 Gloriosum. White. $3 \text{ to } 3\frac{1}{2}$ ft 3 50	13 50 32 50
	H. W. Sargent. Scarlet. $1\frac{1}{2}$ ft 2 00	17 50
	James Bateman. Scarlet. $1\frac{1}{2}$ ft 1 75	15 00
	J. Marshall Brooks. Scarlet. $1\frac{1}{2}$ ft 2 00	17 50
	$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 2 50 John Spencer. Rose, $1\frac{1}{2} \text{ ft.}$ 1 50	22 50 13 50
	John Walter. Rich crimson. $1\frac{1}{2}$ ft 2 00	17 50
	2 ft	22 50
	John Waterer. Carmine. $2\frac{1}{2}$ to 3 ft 3 50	32 50
	2 to $2\frac{1}{2}$ ft 3 00	27 50 18 00
	Lady Armstrong. Pale rose. 1½ to 2 ft 2 00 2 to 2½ ft 2 50	22 50
	$2\frac{1}{2}$ to 3 ft	
	Lady Clermont. Rosy scarlet. 2 to 2½ ft 2 00	17 50
	$2\frac{1}{2}$ to 3 ft	22 50
	21 to 3 ft \$3.50 to 5.00	22 50
	$2\frac{1}{2}$ to 3 ft \$3.50 to 5 00 Madam Carvalho. Clear white.	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
	Michael Waterer. Scarlet-crimson.	
	$1\frac{1}{2}$ to 2 ft. 2 00 Minnie. White. $2\frac{1}{2}$ to 3 ft. 2 50	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	3 to 3½ ft	32 50
	Mrs. John Clutton. White. $1\frac{1}{2}$ to 2 ft 2 00	17 50
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 3 00$	27 50
	3 to 4 ft	18 00
	1½ to 2 ft	23 50
	2 to $2\frac{1}{2}$ ft	27 50
	Old Port. Plum. $1\frac{1}{2}$ ft	13 50
	Parson's gloriosum. Blush. $1\frac{1}{2}$ ft 1 25 $1\frac{1}{2}$ to 2 ft	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$
38	$\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.}}{2 \text{ to } 2\frac{1}{2} \text{ ft.}}$	15 00
	2½ to 3 ft 2 50	23 50
	Perspicum . 2½ to 3 ft 3 50	32 50
	Pictum. White, $2\frac{1}{2}$ to 3 ft 2 50	23 50 23 50
	President Lincoln. 2 to 2½ ft 2 50 2½ to 3 ft	32 50
	22 10 3 10,	32 00

RHODODENDRON purpureum grandiflorum. Purple. Ez 2 to $2\frac{1}{2}$ ft. \$1 3 to $3\frac{1}{2}$ ft. 3 roseum elegans./Good rose. 15 to 18 in. 1 $1\frac{1}{2}$ to 2 ft. 2 2 to $2\frac{1}{2}$ ft. 5 3 to 4 ft. Specimens 5 5 Specimens \$7.50 to 15	50 50 00. 50 50	10 \$12 \ \ 32 \ \ 5 12 \ \ 5 17 \ \ 5 22 \ \ 5 30 \ \ 47 \ \ 5	50 50 50 50 50
NATIVE VARIETIES.—ANDORRA GROWN			
DITODODENDON (I . I	F0 .		
RHODODENDRON Catawbiense. 2 to $2\frac{1}{2}$ ft. \$1 $2\frac{1}{2}$ to 3 ft. 2 3 to $3\frac{1}{2}$ ft. 4 $3\frac{1}{2}$ to 4 ft. 4 3 35 3 3 4 ft. 4 3 50 3 3 6 ft. 4 3 7 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	50	\$12 5 22 5 32 5	50
Catawbiense grandiflora. 2 to $2\frac{1}{2}$ ft 2	00	18 8	50
$2\frac{1}{2}$ to 3 ft	00	27 8	
maximum. Great Laurel. 15 to 18 in 1		7 8	
1½ to 2 ft		11 (
2 to $2\frac{1}{2}$ ft		17 8	
2½ to 3 ft		25 (
3 to 4 ft		40 (
4 to 5 ft		60 (
We have an excellent stock of larger specimens; prices on a			
Having good facilities for collecting Rhododendron maximum, we			
lected stock by the carload, in all sizes from 2 to 7 feet, at spe			
Write us.	01001	Pilot	
DWARF VARIETIES.—ANDORRA GROWN			
RHODODENDRON Ferrigineum. 1 ft	=0	012	E O
Hirsutum, 1 ft	50	13 8	50
myrtifolium. Myrtle-leaved—			
1 to $1\frac{1}{2}$ ft		20 (00
odoratum. Fragrant. 1 to $1\frac{1}{2}$ ft	50	20 (00
$2\frac{1}{2}$ ft 5	00		
punctatum. Dotted. 1 to $1\frac{1}{2}$ ft $+$ 1	50	13 8	50
$1\frac{1}{2}$ to 2 ft	50	20 (
Wilsonianum. 15 to 18 in 1	75	15 (00
YUCCA filamentosa. Adam's Needle. 3-yr	35	2 (nn
4-yr	50	3	
± y1	00	9 (00

DECIDUOUS TREES

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches where they round off to form the top; diameter of stem, or caliper, is taken above the collar.

	Fe	oh	10
ACER campestris. European Cork Maple. 3 to 4 ft			
4 to 5 ft		75	6 00
5 to 6 ft	1	00	8 50
7 to 8 ft	. 1	50	12 50
colchicum, var. rubrum. Red Colchicum Maple—			
10 to 12 ft.; $2\frac{1}{2}$ -in. cal	. 1	75	15 00
12 to 14 ft.: 2½- to 3-in. cal	. 3	50	32 50



End View of a Block of Norway Maples

ACER dasycarpum. Silver Maple— Each	10	100
10 to 12 ft.; $1\frac{1}{2}$ to 2 in\$1 00	\$8 50	\$60 00
12 to 14 ft.; 2 to $2\frac{1}{2}$ in	12 50	90 00
12 to 14 ft.; $2\frac{1}{2}$ to 3 in	15 00	125 00
12 to 14 ft.; 3 to $3\frac{1}{2}$ in	20 00	150 00
4 to 6 in. Specimens. A rapid grower for		
immediate effects\$3.50 to 7 50		
dasycarpum, var. Wierii laciniatum. Wier's		
Cut-leaved Silver Maple—		
10 to 12 ft.; 1 ³ / ₄ to 2 in	13 50	
12 to 14 ft.; 2 to $2\frac{1}{2}$ in	32 50	
Negundo. Ash-leaved Maple. 6 to 8 ft 75	6 00	
8 to 10 ft.; $1\frac{1}{2}$ to 2 in	8 50	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	10 00	
Pennsylvanicum. 6 to 7 ft 1 50		
platanoides. Norway Maple—		
10 to 12 ft.; 1½ in	8 50	
12 to 14 ft.; $1\frac{3}{4}$ to 2 in	12 50	
12 to 14 ft.; 2 to $2\frac{1}{4}$ in	15 00	
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	17 50	
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	22 50	175 00
12 to 14 ft.; $2\frac{3}{4}$ to 3 in	27 50	225 00
14 to 16 ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in	35 00	300 00
14 to 16 ft.; $3\frac{1}{2}$ to $3\frac{3}{4}$ in	42 50	375 00
14 to 16 ft.; $3\frac{3}{4}$ to 4 in	47 50	400 00
14 to 16 ft.; 4 to 4½ in 7 50	72 50	700 00
14 to 16 ft.; $4\frac{1}{4}$ to $4\frac{1}{2}$ in	90 00	
Specimen Norways. 14 to 20 feet in		

height and 4½ to 10-in. caliper; clean, well headed.

ACER platanoides, var. purpurea. Schwedler's Purple E Maple. 8 to 10 ft.; 1\frac{3}{4} to 2 in	50 50 50 00	\$12 32	50	100
platanoides, var. Reitenbachi. Reitenbach's Purple Maple. 8 to 10 ft	00	17	50	
Pseudo-platanus. European Sycamore Maple— 6 to 8 ft	75 50 00 50 50	6 12 17 22	00 50 50 50	
Pseudo-platanus, var. purpurea. Purple Syca- more Maple. 10 to 12 ft	90	-12 17	90	
rubrum. Red or Scarlet Maple. 6 to 7 ft	00 50 00		50 50 50	\$75 00 100 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	00 25 50 00 50 00	$10 \\ 12 \\ 17 \\ 32$	$50 \\ 50 \\ 00 \\ 50$	75 00 100 00 150 00 250 00
spicatum. Mountain Maple. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.		6 8	-00 00 50 50	30 00 40 00 60 00
Tataricum, var. Ginnala. Tartarian Maple— 2 ft. 3 to 4 ft. Bushy. 4 to 5 ft. Bushy. Most brilliant of the fall-coloring trees. Superb for mass planting.	50 75 00 25	6 9	50 50 00 00	25 00 35 00 50 00 60 00
JAPANESE MAPLES				
ACER polymorphum. 3 to 4 ft	50 00 50	13	50 50	

ACER polymorphum, var. atropurpureum dissectum.	Each		10	100
Weeping Cut-leaf Blood-leaved— 1½ ft	50 00	\$13	50	
polymorphum, var. aureum. Golden Japan Maple. $1\frac{1}{2}$ ft		13	50	
polymorphum, var. dissectum. Cut-leaf Weeping Japan Maple. 1½ ft	50			
2 to $2\frac{1}{2}$ ft	50			
polymorphum, var. filicifolium. $1\frac{1}{2}$ to 2 ft 1	50			
polymorphum, var. scopendifolium. $1\frac{1}{2}$ to 2 ft	00			
ÆSCULUS Hippocastanum. European Horse-Chestnut-			F 0	
7 to 8 ft	50	12	50	
10 to 12 ft.; 2 in	50		50	
10 to 12 ft.: 3 in	50		50	
Specimens; $3\frac{1}{4}$ to 5 in. cal\$5 to 20 (00.			
Hippocastanum, var. alba flora plena.				
Double White-Flowered Horse-	00			
Chestnut. 8 to 9 ft.; $1\frac{1}{2}$ in 2 9 to 10 ft.; 2 in 2				
10 to 11 ft.; 2½ in	50			
11 to 12 ft.: 3 in	00			
Specimens; 3 to 5 in \$7.50 to 15	00			
Hippocastanum, var. Bujotii—	~ ~ ~			
10 to 12 ft.; $2\frac{1}{2}$ to 3 in	5() 50	$\frac{22}{32}$		
10 to 12 ft.; 3 to 3½ in	50	34	30	
flowered Horse-Chestnut—				
7 to 8 ft.; $1\frac{1}{4}$ in	75			
10 ft.; $1\frac{3}{4}$ to 2 in				
10 ft.; 2 to $2\frac{1}{2}$ in				
parviflora. See Shrubs.	50			
•				
ALLANTHUS glandulosa. Ailanthus, or Tree of Heaven. 7 to 8 ft	75	5	00	
14 to 18 ft. Heavy \$2.50 to 3			00	
ALNUS glutinosa. European, or Black Alder—				
5 to 6 ft			00	\$35 00
10 to 12 ft			00	
incana. 5 to 6 ft	00	5	00	35 00
AMELANCHIER Botryapium, Dwarf Juneberry. See Shrubs.				
ANDROMEDA. See Oxydendron.				
ARALIA. Chinese Angelica Tree—				
elata, var. foliis argentea marginata. 5 to 6 ft 1			00	
6 to 8 ft		13		
Japonica, 4 to 5 ft	75		00	
8 to 10 ft		12		
pentaphylla; syn., Acanthopanax spinosa. See Shrubs.	50		30	
spinosa. 3 to 4 ft	50	2	50	
4 to 6 ft			50	

DEMITTA II. TO STATE THE TOTAL TO THE TOTAL TOTA		
BETULA alba. European White Weeping Birch— Eac 8 to 10 ft		0 100
10 to 12 ft.: $1\frac{3}{2}$ to 2 in	0 - 17 - 5	
12 to 14 ft.: 2 to $2\frac{1}{2}$ in	0 22 5	0
16 to 18 ft.; 3 to 4 in\$5 to 7 5	0	
alba, var. fastigiata. Pyramidal White Birch. 8 to 10 ft	0	
10 to 12 ft 3 5		
12 to 14 ft 5 0	0	
alba, var. laciniata pendula. Weeping Cut- leaved White Birch. 6 to 7 ft 1 5	^	
lenta. Sweet Birch. 6 to 7 ft 1 0	0 60	0
lutea. Yellow Birch. 5 to 6 ft		
14 to 16 ft.; specimens 2 5	0 22 5	0
papyrifera. Paper, or Canoe Birch—	0 0 0	0
5 to 6 ft	0 60 5 100	
12 ft.; 2 in 1 7	5 15 0	
14 ft.; $2\frac{1}{2}$ to 3 in \$2.50 to 3 5	0	
populifolia. American White Birch—	0 10 5	0
10 to 12 ft		
nigra; syn., rubra. Red Birch. 7 to 8 ft 1 5		
BROUSSONETIA papyrifera. Paper Mulberry—	3 10 0	0 \$10 00
4 to 5 ft	5 5 0	0
CARPINUS Americana; syn., Caroliniana. American		
Hornbeam. 3 to 4 ft 6		
4 to 5 ft. Bushy 1 0		
5 to 6 ft. Bushy		
6 to 7 ft. Bushy 2 0 7 to 9 ft. Bushy 2 5	$\frac{10}{20}$	
9 to 10 ft. Bushy 3 5	27 5	
Betulus. European Hornbeam. 2 to 3 ft 3		
3 to 4 ft. Bushy		
4 to 5 ft. Bushy		
6 to 7 ft. Bushy 2 0	$\frac{18}{18} \frac{5}{5}$	
8 to 10 ft. Bushy 3 5	30 0	0
CASTANEA Americana. American Chestnut—		
5 to 6 ft		
7 to 8 ft		
9 to 10 ft.: $1\frac{1}{2}$ to 2 in 1 7.	5 16 5	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	18 5	0
12 to 14 ft.; 3 in	30 0	
Japonica. Japan Chestnut. 4 to 5 ft 1 0		
vesca. Spanish Chestnut. 4 to 5 ft 1 0		
CATALPA bignonioides, 8 to 9 ft	5 6 0)
bignonioides, var. aurea. Golden Catalpa— 4 to 5 ft	7 5	1
Bungei, Bunge's Catalpa, Standards, 7 ft, 3 5		,
Kæmpferi. Japanese Catalpa. 6 to 8 ft 1 5)
speciosa. Western Catalpa. 6 to 8 ft 1 0		
8 to 10 ft.; $1\frac{1}{2}$ to 2 in 1 50)
CEDRELA Sinensis. Chinese Cedrela—		
7 to 8 ft ↓ . 1 5)	

cordata. Washington Thorn-

4 50

6 00

CRATÆGUS Crus-galli. Cockspur Thorn— Each	10	100
3 to $3\frac{1}{2}$ ft	\$4 00	\$25 00
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots 75$	6 00	35 00
5 to 6 ft	7 50	50 00
6 to 8 ft	15 00	100 00
	6 00	
Oxyacantha. English Hawthorn— 2 to 3 ft	3 00	20 00
4 to 5 ft	4 00	35 00
Oxyacantha, var. alba flore pleno. Dou-	1 00	00 0.,
ble White Hawthorn. 4 to 6 ft. 1 00	9 00	
6 to 8 ft 2 50		
Oxyacantha, var. coccinea flore pleno.		
Paul's Double Scarlet. 4 to 6 ft. 1 00	9 00	
10 to 12 ft. Standards $\dots \longrightarrow 3$ 00	25 00	
Oxyacantha, var. rosea flore pleno. Dou-		
ble Pink Hawthorn. 4 to 5 ft 1 00	9 00	
6 to 8 ft 2 50		
Oxyacantha, var. rubra pleno. 3 to 4 ft. 1 00	9 00	
punctata. $3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 50$	4 00	
CYTISUS Laburnum. Golden Chain. 3 to 4 ft 75	6 00	
4 to 5 ft	9 00	
DIOSPYROS Virginica. Persimmon. 6 to 8 ft	8 50	
FAGUS ferruginea. American Beech. 3 to 4 ft 1 50	13 50	
4 to 5 ft	17 50	
6 to 8 ft		
sylvatica. European Beech. 3 to 4 ft 75	6 00	50 00
4 to 5 ft	7 50	60 00
5 to 6 ft	$\frac{15}{32} \frac{00}{50}$	
7 to 8 ft	32 30	
8 to 10 ft. Specimens\$5 to 15 00		
sylvatica, var. asplenifolia. Fern-like Beech-		
3 to 4 ft		•
sylvatica, var. pendula. Weeping Beech-		
6 to 8 t 3 50	$32 \ 50$	
8 to 10 ft\$5 to 7 50		
14 to 16 ft.; 2 to 3½ in. Specimens. \$15 to 25 00		
All recently transplanted.		
sylvatica, var. purpurea. Purple Beech— 4 to 5 ft	12 50	
5 to 6 ft	12 00	
6 to 7 ft		
7 to 8 ft	$32 \ 50$	
9 to 10 ft	45 00	
11 to 12 ft	70 00	
12 to 14 ft. Specimens\$10 to 35 00 8 to 16 ft. Sheared specimens\$10 to 35 00		
sylvatica, var. purpurea major. Large Leaf— 3 to 4 ft	12 50	
3 to 4 ft	15 00	
5 to 6 ft	22 50	
sylvatica, var. Riversi. Rivers' Blood-leaved		
Beech. 5 to 6 ft		
10 to 14 ft. Specimens\$12.50 to 35 00		



An avenue of Sweet Gums (Liquidambar), at Andorra

Each	10	100
FRAXINUS Americana. White Ash. 6 to 8 ft \$1 00	\$7 50	\$50 00
8 to 10 ft	10 00	75 00
10 to 12 ft.; 2 to $2\frac{1}{2}$ in 1 50	12 50	90 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 50	22 50	
14 to 16 ft.; $2\frac{3}{4}$ to 3 in		
excelsior. European Ash.—		
10 to 12 ft	10 00	
12 to 14 ft 2 00	12 50	
3 to $3\frac{1}{2}$ in. caliper	22 50	
Ornus, Flowering Ash—		
10 to 12 ft.; 2 in	7 50	60 00
GLEDITSCHIA aquatica. Water Locust. 6 to 8 ft 50	4 50	40 00
8 to 10 ft	7 50	60 00
triacanthos. Honey Locust. 3 to 4 ft. 50	4 00	
GLYPTOSTROBUS. See Taxodium.		
GYMNOCLADUS Canadensis. Kentucky Coffee Tree-		
6 to 7 ft 1 00	7 50	
JUGLANS nigra. Black Walnut. 6 to 8 ft	4 00	
8 to 10 ft	7 50	
	. 00	
KŒLREUTERIA paniculata. Varnish Tree—	10.50	
4 to 6 ft	$12 \ 50$	
8 to 10 ft 2 50		
LARIX Europæa. European Larch. 4 to 5 ft 1 00	6 00	
6 to 7 ft	12 50	
leptolepis. Japanese Larch. 6 to 8 ft 1 00	7 50	
LAURUS Sassafras. See Sassafras officinale.		

LIQUIDAMBAR. Sweet Gum. 4 to 5 ft \$1 00 5 to 6 ft 1 25	\$6 00 7 50	100
6 to 7 ft. Fine	12 50	
LIRIODENDRON Tulipifera. Tulip Tree. 6 to 7 ft. 1 00 8 to 9 ft.; very heavy 1 50	8 50 10 00	
9 to 10 ft.; very heavy 1 75	16 50	
10 to 12 ft.; very heavy \dots 2 00 12 to 14 ft.; very heavy \dots 2 50	$17 50 \\ 22 50$	
Tulipifera, var. fastigiata. A beau-		
tiful pyramidal form of		
the well-known Tulip tree. 6 to 8 ft \leftrightarrow . 2 00	18 50	
8 to 10 ft 2 50		
10 to 12 ft		
1,000 \$8.		\$2 0
MAGNOLIA. Native Sorts—		
acuminata. Cucumber Tree. 8 to 10 ft. 1 00 glauca. Sweet or Swamp Magnolia—		
2 to $2\frac{1}{2}$ ft	13 50	
$\begin{array}{c} \textbf{grandiflora}. \ \text{Evergreen Magnolia} - \\ 2\frac{1}{2} \text{ to 3 ft.} \dots \dots$		
macrophylla. Great-leaved Magnolia—		
3 to 4 ft	22 50	
4 to 5 ft	$\begin{array}{ccc} 32 & 50 \\ 9 & 00 \end{array}$	
10 to 12 ft 1 50	12 50	
12 to 14 ft 2 00	18 50	
MAGNOLIA. Chinese Sorts— Alexandriana, 3 to 4 ft \$3.50 to 5 00		
6 to 7 ft		
conspicua. Pure white.		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
Kobus. 2 to $2\frac{1}{2}$ ft	13 50	
3 to 4 ft		
Specimens. 12 to 15 ft. Prices on		
application. Norbertiana Hybrid. Norbert's Magnolia— 3 to $3\frac{1}{2}$ ft		
purpurea; syn., obovata. Purple Magnolia— 3 to 3½ ft	22.50	
Soulangeana Hybrid. Soulange's Magnolia—	22 50	
3 to 4 ft ★ 2 50		
4 to 5 ft		
cation.		
speciosa. $4\frac{1}{2}$ to 5 ft		
stellata; syn., Halleana. Hall's Japanese Magnolia. 2 ft	22 50	
24 ft. 3 50	32 50	
3 ft. Fine specimens \$5 to 7 50		
superba alba. 4 to 5 ft		



An avenue of "Andorra-grown" Oriental Planes. (See page 30)	
MORUS alba. White Mulberry. 6 to 8 ft	\$6 00
6 ft	
berry. 2-yr. heads	
NEGUNDO. See Acer.	
NYASSA sylvatica. Sour Gum. 3 to 4 ft $+$ 1 00 $+$ 1 50 $+$ 1 50	$ \begin{array}{ccc} 8 & 50 \\ 13 & 50 \end{array} $
OXYDENDRUM arboreum; syn., Andromeda arborea. Sorrel	
Tree. 2 to 3 ft. 1 00 3 to 4 ft. 1 50 4 to 5 ft. 2 00 5 to 6 ft. 2 50 6 to 7 ft. 3 00 7 to 8 ft. 3 50	9 00 13 50 18 50 22 50 27 50
PARROTIA Persica. Persian Iron Tree. 4 to 5 ft. 1 50 10 to 12 ft. 3 50	
PAULOWNIA imperialis, 10 to 12 ft	
PERSICA vulgaris, var. alba plena. Double White-flowering Peach. 5 to 6 ft	9 00
vulgaris, var. sanguinea plena. Double Red-flowering	9 00
Peach. 4 to 5 ft	9 00
PHELLODENDRON Amurense. Chinese Cork Tree-	
5 to 6 ft 1 00 6 to 8 ft 1 50 8 to 10 ft 2 00	9 00 12 50 18 50

PLATANUS occidentalis. Buttonwood, or American Each	10	0	100
10 to 12 ft.; 1\frac{3}{4} to 2 in		50	\$16 0 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11 16	50 50	100 00 150 00 175 00
8 to 10 ft			
Poplar. 10 to 12 ft.; 1½ to 2 in 1 00 nigra, var. fastigiata. Lombardy Poplar—	9	00	_
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		00 50	
PRUNUS. See Cerasus.			
PTELEA trifoliata. Hop Tree. 4 to 6 ft. 50 6 to 7 ft. 75 7 to 9 ft. 1 00	6	00 00 50	
trifoliata, var. aurea. Golden Hop Tree— 4 to 5 ft		00 50	
PTEROSTYRAX hispidum (Halesia hispida.) 5 to 6 ft		00 50	
PYRUS. See, also, Shrubs. atrosanguinea. 3 to 4 ft	8	50	
3 to 4 ft	8	50	
coronaria. Sweet-scented Crab. 3 to 4 ft		00	
ing Crab. 3 to 4 ft 1 50	12	50	
Parkmani; syn., Halliana. Parkman's Crab— 2 to 3 ft	6	00	
spectabilis. Chinese Double-flowering Crab— 3 to 4 ft 1 00 spectabilis, var. alba flore pleno. Double Rose- flowering Crab. 3 to 4 ft 1 00	7	50	
QUERCUS alba. White Oak. 4 to 5 ft. 1 00 5 to 6 ft. 1 25 6 to 7 ft. 1 50 7 to 8 ft. 2 00 8 to 10 ft. \$2.50 to 3 50	10 12	50 00 50 50	75 00 85 00 100 00 150 00

		70	,				
QUERCUS bicolor. Swam	n White Oak 6 to 7 ft.	\$1	25	\$10		100 \$85	
7 to 8 ft		. 1	50	12		100	
		. 2	00	17	50	135	00
10 to 12 it.	; 2 to 2½ in. Specimens.	. 5	00				
coccinea. Scar	\$3.50 to let Oak. 6 to 7 ft		25	10	00	85	00
7 to 8 ft		. 1	50	13		100	
			00	17		150	
	\$2.75 to		50	22	50	175	00
imbricaria. La	urel Oak. 7 to 8 ft	. 2	50	22	50		
			50	32			
	$2 \text{ to } 2\frac{1}{2} \text{ in.} \dots$. 5	00				
macrocarpa. N	Iossy Cup Oak— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2	00	17	50		
10 to 12 ft.		. 2			00		
	Specimens\$3.50 t	o 5	00				
palustris. Pin		1	00	0	=0	60	00
	Low-branched		$\frac{00}{25}$	10	50 00	60 70	
8 to 9 ft.;	1½ to 1¾ in. Low-branched	. 1	50	13		125	
9 to 10 ft.;	; 1¾ to 2 in. Low-branched	. 2	00	17		135	
	$2 ext{ to } 2\frac{1}{2} ext{ in. Low-branched}$ $2\frac{3}{4} ext{ to } 3 ext{ in.}$		50	22 30		$\frac{150}{275}$	
	y specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in		50	30	00	210	00
	rell-rooted and good tops	5,					
madum autota	\$7.50 to		00				
	ar. Concordia. Golden Oak		50				
	Chestnut Oak. 7 to 8 ft		25		00		
8 to 10 ft.	0.1.01.**	. 1	50		50	125	
10 to 12 it.	; 2 to $2\frac{1}{4}$ in; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	. 2	50	22	50 50	$\frac{175}{200}$	
Exce	llent for street planting.		00		00	200	00
	h Oak. 6 to 8 ft				50		
8 to 10 ft.	; 2 to $2\frac{1}{4}$ in	. 2	50	17	50 50		
12 to 14 ft.	$\frac{1}{2}$ to $\frac{2}{3}$ in	. 3	50		50		
Specimens.	3\frac{1}{2} to 4\frac{1}{2} in, cal 3.50 to	10		-			
Robur, var. fas	stigiata. Pyramidal Englis	h ့	~ 0	00	00		
	6 to 7 ft		50 50	20	00		
rubra. Red O:	ak. 5 to 6 ft		75	7	00	65	00
6 to 7 ft.		. 1	00		00		00
7 to 8 it.	$2 \text{ to } 2\frac{1}{4} \text{ in.}$. 1	50		50 50	$\frac{110}{150}$	
10 to 12 ft	$2^{\frac{1}{2}}$ to $2^{\frac{1}{4}}$ in	. 3	00		50	100	00
12 to 14 ft	. Specimens \dots \$3.50 to	10	.00				
	tinctoria. Black Oak—	,	0.5	10	00		
8 to 10 ft.	; 1 ³ / ₄ to 2 in	. 1	25 75		00		
10 to 12 ft	\therefore 2 to $2\frac{1}{4}$ in	. 2	50		50		
Specimen	s, 3 to $3\frac{1}{2}$ in	. 3	50		00	0.7	00
RHUS glabra. Smooth Su	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		50 75		00		00
	· • • • • • • • • • • • • • • • • • • •		00		50		00
glabra, var. laciniat	a. Cut-leaved Sumac—						
			75				
3 11,		. 1	00				

Built Ochaclei O. 4 O. 6	ch	10	100
RHUS Osbecki. 2 to 3 ft\$0		1 00	
		3 00 3 00	915 Oc
5 to 6 ft		1 00	\$15 00 30 00
6 to 8 ft	75	3 00	50 00
8 to 10 ft		3 50	
typhina, var. laciniata. 3 to 4 ft.	75	5 00	
ROBINIA pseudacacia. 7 to 8 ft.	75	00	
pseudacacia, var. tolus aureis. Golden-			
leaved Locust. 6 to 8 ft	00 7	7 50	
SALISBURIA adiantifolia. Ginkgo, or Maidenhair	50		
	00 8	3 50	75 00
		3 50	75. 00 125 00
		7 50	150 00
		50	200 00
10 to 12 ft 3 8	50 32	50	
		00	
8 to 10 ft 1 &	50 13	50	
10 to 12 ft. Heavy 2 .	50 22	50	
Babylonica, var. dolorosa. Wisconsin Weeping Willow. 6 to 7 ft	75 0	. 00	
lutea. Golden Willow. 6 to 8 ft		6 00 6 00	
8 to 10 ft		00	
lutea, var. pendula. Golden Weeping Willow—	00 10	, 00	
8 to 10 ft 1	50 10	00	
10 to 12 ft 2 %	50		
12 to 14 ft	00		
		50	
8 to 10 ft	00 12 00 7	50	
		300	20 00
vitellina. Yellow Willow. 6 to 8 ft 1		50	20 00
vitellina, var. Britzensis, Salmon-barked Wil-			
low. 8 to 10 ft 1 (00 7	50	60 00
10 to 12 ft 1	50 - 10	00	75 00
SOPHORA Japonica. Japanese Sophora—			
3 to $3\frac{1}{2}$ ft 1 (00 8	50	
Japonica, var. pendula. Weeping Sophora—	00		
7 to 8 ft. Specimens	00		
SORBUS Americana. American Mountain Ash-	00 0		
6 to 8 ft	00 8	00	
6 to 8 ft	00 9	00	
aucuparia, var. fruticosa lutea, Yellow-		00	
aucuparia, var. fruticosa lutea. Yellow- fruited. 6 to 8 ft 1 &	50 12	50	
aucuparia, var. quercifolia. Oak-leaved			
Mountain Ash. 6 to 8 ft 1.0		50	
8 to 10 ft	50 13	50	
TAXODIUM distichum. Deciduous Cypress—			
4 to 5 ft 1 (8 00	50	
TILIA Americana. American Linden, or Basswood—		=0	
8 to 10 ft		50	
10 to 12 ft.; 2 to $2\frac{1}{4}$ in	50 22	50 50	
10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	00 22	30	
12 to 14 ft.; 3 to 4 in \$5 to 10 (00		

TILIA argentea; syn., tomentosa. Silver-leaved Linden—	Each		10
6 to 8 ft\$1			
8 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in			
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	50	32	50
vulgaris; syn., Europæa. European Linden—	=0	10	
8 to 10 ft.; $1\frac{1}{2}$ to 2 in		12	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in		22	50
12 to 14 ft.; 3 to 4 in	50		
vulgaris, var. pyramidalis lacimata. Pyramidal Cut-	00 °	1.5	
vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 8 to 10 ft	UU	19	00
10 to 12 ft	00	15	00
		10	00
ULMUS Americana. American Elm—	00	-	50
8 to 10 ft			50
10 to 12 ft	50	$\frac{13}{22}$	
12 to 14 ft.; 2½ to 2¾ in	00	22	90
campestris. English Elm. 8 to 10 ft		13	50
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in		22	
12 to 14 ft.; 3 to $3\frac{1}{4}$ in		32	
Specimens		02	00
campestris, var. latifolia; syn., major. Broad-leaved	00		
English Elm. 10 to 12 ft	50	13	50
$12 \text{ to } 14 \text{ ft.}; 2\frac{1}{2} \text{ to } 2\frac{3}{4} \text{ in.} \dots 2$		22	
$12 \text{ to } 14 \text{ ft.}; 2\frac{3}{4} \text{ to } 3 \text{ in.} \dots 3$		32	
16 to 18 ft.; 3 to 4 in			
scabra; syn., montana. Scotch, or Wych Elm-			
8 to 10 ft.; 1½ to 2 in	50	13	50
scabra, var. Huntingdoni. Huntingdon Elm-			
10 to 12 ft.; 2 to $2\frac{1}{4}$ in	75	16	
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	50	22	50
14 to 16 ft.; 3 to $3\frac{1}{4}$ in	50		
scabra, var. pendula. Camperdown Elm—			
6 ft	50		
scabra, var. purpurea. Purple Wych Elm-			
8 to 10 ft 1		13	
10 to 12 ft		17	50
12 to 14 ft.; 3 to $3\frac{1}{2}$ in		00	~0
vegeta, 10 to 12 ft	50	22	50
VIRGILIA. See Cladrastis.			

DECIDUOUS SHRUBS

ABELIA rapestris. 1 to $1\frac{1}{2}$ ft. Eac $1\frac{1}{2}$ to 2 ft. .50 5 2 to $2\frac{1}{2}$ ft. .7 2 to $2\frac{1}{2}$ ft. .1 0	0 \$4 5 6	.0 50 50 00	100 \$25 00 30 00 35 00
ACANTHOPANAX spinosa (Aralia pentaphylla)—			
3 to 4 ft	5 3	00	20 00
4 to 6 ft. Heavy 5	0 4	00	30 00
ÆSCULUS parviflora; syn., Pavia macrostachya-			
1½ ft 1 0	0 8	50	75 90
2 ft → 1 5	0 13	50	100 00
ALTHEA, See Hibiscus.			
AMELANCHIER Botryapium. 2½ to 3 ft 5	0 4	00	
2 ft	5 2	50	15 00



Partial view of Nursery grounds as far as (1), from top of Main Nursery

•	Each	10	100
AMORPHA canescens. 2 ft			
fragrans. 2 to 3 ft			
fruticosa. 2 to 3 ft			
3 to 4 ft			
4 to 5 ft	. 50	4 00	25 00
AMVGDALIIS (Almond) See Prunus			

NATIVE AZALEAS.—Andorra Grown

Clean, bushy, transplanted stock		
AZALEA arborescens. Fragrant White Azalea. Each	10	100
12 to 15 in. Bushy	\$9 00	
15 to 18 in. Bushy 1 50	13 50	\$125 00
$1\frac{1}{2}$ to 2 ft. Bushy	18 50	150 00
* 2 to $2\frac{1}{2}$ ft. Bushy	22 50	
calendulacea. Flame Azalea. 12 to 15 in 1 00	9 00	
15 to 18 in. Bushy 1 50	13 50	125 00
18 to 24 in. Bushy 1 75	15 00	135 00
2 to $2\frac{1}{2}$ ft. Bushy	22 50	175 00
3 to 4 ft. Bushy → 3 50	32 50	300 00
Canadensis (Rhodora). 1 ft. Bushy 1 00	8-50	75 00
$2 \text{ to } 2\frac{1}{2} \text{ ft}, \dots 2 50$	22 50	
nudiflora. 12 to 15 in 1 00	9 00	
15°to 18 in	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy	15 00	135 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. Bushy.} \dots 2 50$	22 50	
Vasevi. Southern Azalea. 12 to 15 in 1 00	9 00	
15 to 18 in	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy	18 50	
$2 \text{ to } 2\frac{1}{2} \text{ ft. Bushy.} \qquad 2 50$	22 50	175 00
$2\frac{1}{2}$ to 3 ft. Bushy	30 00	250 00
viscosa. White Azalea. 12 to 15 in 1 00	9 00	
	13 50	
15 to 18 in, Bushy	18 50	
$1\frac{1}{2}$ to 2 ft. Bushy	10 00	

MOLLIS and GHENT AZALEAS

AZALEA mollis. 1½ ft	50 00	\$10 00 \$10 00 13 50 17 50	100 \$90 00 125 00 150 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50 50	10 00 12 50 22 50	90 00 120 00 175 00
BACCHARIS halimifolia. Groundsel Shrub— 4 to 5 ft.; heavy 6 to 8 ft.; heavy Desirable for late bloom.	50 75	4 00 6 00	25 00 30 00
BENZOIN odoriferum. Spice Bush. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. 4 to 5 ft. 1	35 50 75 00	3 00 4 00 6 00 8 00	
BERBERIS (Barberry) Asiatica. 3 to 3½ ft	75 35 50 75 35 60 75 35	6 00 3 00 4 00 6 00 3 00 4 50 5 00 3 00	50 00 27 50 35 00 40 00 20 00 25 00
$2\frac{1}{2}$ to 3 ft.; very heavy. 3 to $3\frac{1}{2}$ ft. Thunbergii . 12 to 15 in. 15 to 18 in. $1\frac{1}{2}$ ft.; broad and very heavy. $1\frac{1}{2}$ to 2 ft.; broad and very heavy. $2\frac{1}{2}$ ft.; broad and very heavy. 3 to $3\frac{1}{2}$ ft.; broad and very heavy.	50 75 25 35 50 60 75 00	4 00 6 00 1 75 2 50 3 50 4 50 6 00 7 50	12 00 15 00 20 00 25 00 45 00 50 00
vulgaris. Common Barberry— 2 to 2½ ft. Heavy 2½ to 3 ft. 3 to 3½ ft. vulgaris, var. purpurea. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. 1	35 50 75 35 50 75 00	2 00 3 50 5 00 3 00 3 50 4 00 6 00	17 50 25 00 35 00 50 00
CALLICARPA purpurea. Beauty Fruit. 2 to $2\frac{1}{2}$ ft. CALYCANTHUS floridus. Allspice, or Sweet Shrub—2 to $2\frac{1}{2}$ ft	50 35	4 00	35 00
4 to 5 ft CARAGANA arborescens. Siberian Pea— 1½ to 2 ft	75 25 35 50	·6 00 2 00 3 00 4 00	35 00 17 50 25 00
2½ to 3 ft	35	2 50	15 00

T	,	-0	400
CEANOTHUS Americanus. Jersey Tea. $1\frac{1}{2}$ to 2 ft\$0	ach 25	$^{10}_{200}$	\$15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	. 4 00	25 00
Americanus, var. Fendieri— $1\frac{1}{2} \text{ to } 2 \text{ ft.} \dots \dots + \dots$	75	5 00	
CEPHALANTHUS occidentalis. 3 to 3½ ft	35	3 00	25 00
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
4 to 5 ft	75	6 00	35 00
CERCIS. See, also, Deciduous Trees.			
Japonica. Japan Judas. 2 to $2\frac{1}{2}$ ft	50	4 00	
$2\frac{1}{2}$ to 3 ft	75 00	6 00 8 50	
5 to 6 ft		13 50	
Exceptionally fine stock.	-	20 00	
CHIONANTHUS Virginica. White Fringe. 2 to 2½ ft.	50	4 50	40 00
$2\frac{1}{2}$ to 3 ft. Bushy	75	7 00	50 00
3 to 4 ft. Bushy	00	8 50	75 00
4 to 5 ft. Bushy	50	13 50	100 00
CLETHRA alnifolia. Sweet Pepperbush—	35	2 50	17 50
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ $2\frac{1}{2} \text{ to } 3 \text{ ft.}$ Broad and bushy	50	3 00	25 00
$3 \text{ to } 3\frac{1}{2} \text{ ft. Broad and bushy.} \dots$	60	4 00	
• 4 to $4\frac{7}{2}$ ft. Bushy	75	6 00	
COLUTEA arborescens. Bladder Senna. 2 to 3 ft	35	2 50	20 00
3 to $3\frac{1}{2}$ ft	50	4 00	25 00
4 to 5 ft	75	6 00	30 00
COMPTONIA asplenifolia. Sweet Fern. $1\frac{1}{2}$ to 2 ft	35 50	3 00 4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2 to 2½ ft	90	4 00	30 00
CORCHORUS Japonicus. Single Globe Flower— 2 to $2\frac{1}{2}$ ft	50	3 50	25 00
$\frac{2}{3}$ to $\frac{3}{2}$ ft	75	5 00	35 00
CORNUS. See, also, Trees.			
alba. Siberian Red-twigged Dogwood—			
$2 ext{ to } 2\frac{1}{2} ext{ ft.}$	25	2 00	15 00
$2\frac{1}{2}$ to 3 ft.; very heavy	35	3 00	20 00
3 to $3\frac{1}{2}$ ft.; very heavy	50 75	4 00 6 00	25 00 30 00
3½ to 4 ft.; very heavyalba; syn., sibirica, var. aurea variegata—	10	0 00	30 00
$1\frac{1}{2}$ to 2 ft	50	4 00	
2 to $2\frac{1}{2}$ ft	75	5 00	
alba, var. elegantissima. Golden-leaved-			
$1\frac{1}{2}$ to 2 ft	35	3 00	25 00
alternifolia. $2\frac{1}{2}$ to 3 ft	35 50	3 00 4 00	$\frac{20}{30} \frac{00}{00}$
4 to 5 ft	75	5 00	40 00
5 to 6 ft 1	00	6 00	50 00
Mas. Cornelian Cherry. $1\frac{1}{2}$ to 2 ft	35	2 50	15 00
$2 ext{ to } 2\frac{1}{2} ext{ ft.}$	50	3 50	20 00
$2\frac{1}{2}$ to 3 ft	75 75	6 00	30 00
5 to 6 ft 1	00	7 50	
	50		
paniculata. 3 to 4 ft	50	4 50	
4 to 5 ft	75	6 00%	
5 to 6 ft 1	00	9 00	

CORNUS sanguinea. European Osier Dogwood—	ach	10	100
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \hat{\text{Fine}} \dots \0		\$2 00	\$15 00
$3\frac{1}{2}$ to 4 ft. Fine	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5 to 6 ft. Fine	75	5 00	35 00
sanguinea, var. elegantissima variegata—	~0	4 00	
$2\frac{1}{2}$ to 3 ft	50 75	$\frac{4}{6} \frac{00}{00}$	
sericea. Silky Dogwood. 3 to $3\frac{1}{2}$ ft	35	3 00	20 00
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
4 to 5 ft	75 00	$\frac{6}{7} \frac{00}{50}$	35 00 50 00
stolonifera. Native Red Osier—	00	, 00	00 00
2 to $2\frac{1}{2}$ ft	25	2 00	17 50
$2\frac{1}{2} ext{ to } 3 ext{ ft.} \dots 3 ext{ to } 3\frac{1}{2} ext{ ft.} \dots$	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
$3\frac{1}{2}$ to 4 ft	60	5 00	30 00
4 to 5 ft	75	6 00	35 00
stolonifera, var. aurea. Golden-barked—	35	3 00	25 00
$2\frac{1}{2}$ to 3 ft	50 50	4 00	30 00
$3\frac{1}{2}$ to 4 ft	75	5 00	35 00
CORYLUS Avellana, var. laciniata. Cut-leaved Hazel-			
6 to 8 ft	00	7 50	,
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	3 00	20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50	4 00	$25 \ 00$
4 to 5 ft	75	6 00	50 00
COTONEASTER frigida, var. bacillaris—	35	3 00	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	4 00	$\frac{20}{25} \frac{00}{00}$
CRATÆGUS. See Trees.			
CYDONIA Japonica. Japan Quince. 1 to 1½ ft	35	3 00	25 00
CYTISUS scoparius. Scotch Broom. 2 to $2\frac{1}{2}$ ft	50	4 50	30 00
DESMODIUM penduliflorum. See Lespedeza Sieboldi.			
DEUTZIA , Assorted. 4 to 5 ft.; heavy	50	4 00	30 00
5 to 6 ft.; heavy	75	6 00	35 00
candidissima (Double White). 2 to 3 ft	35 50	$\frac{3}{4} \frac{00}{00}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
5 to 6 ft	75	5 00	35 00
crenata, var. Pride of Rochester-			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	3 00	20 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{50}{75}$	3 50 5 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
crenata, var. Waterer. 2 to 3 ft.	35	3 00	20 00
3 to 4 ft	50	3 50	25 00
4 to 5 ft.; very heavy	60	4 00	30 00
5 to 6 ftcrenata, var. Wellsi, 5 to 6 ft	75 75	6 00 5 00	35 00 35 00
	00	7 50	50 00
	35	3 00	15 00
15 to 18 in.; very heavy	50	4 00 6 00	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$
18 to 24 in	$\frac{75}{00}$	7 50	50 00
gracilis, var. carminea. 15 to 18 in	50	4 00	25 00
18 to 24 in	75	6 00	35 00

	ach	10	100
DEUTZIA gracilis, var. rosea. $1\frac{1}{2}$ to 2 ft\$0		\$4 00	\$ 25 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	6 00	35 00
2½ to 3 it	00	7 50	40 00
Lemoinei. 2 to $2\frac{1}{2}$ ft.; very heavy	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft.; heavy	50	4 50	35 00
Lemoinei, var. compacta. 1½ ft	$\frac{25}{75}$	2 00	$\frac{12}{35} \frac{50}{00}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00	5 00 7 50	50 00
parviflora. $1\frac{1}{2}$ ft	35	3 00	50 00
scabra. 3 to $3\frac{1}{2}$ ft	35	3 00	15 00
4 to 5 ft	50	4 00	20 00
5 to 6 ft	75	6 00	30 00
DIERVILLA (Weigela) florida, var. amabilis-		0 00	00 00
5 to 6 ft	75	5 00	40 00
florida; syn., rosea. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	2 50	15 00
$2\frac{1}{2}$ to 3 ft	50	4 00	20 00
3 to 4 ft	75	5 00	30 00
florida, var. candida. 3 to $3\frac{1}{2}$ ft	35	3 00	25 00
4 to 5 ft	50	4 00	30 00
5 to 6 ft	75	5 00	40 00
florida nana, var. aurea variegata—			
$1\frac{1}{2}$ to 2 ft	35	3 00	12 50
4 to 5 ft	50	4 00	30 00
florida, var. Sieboldi alba, 4 to 5 ft	75	6.00	
floribunda Lavallei. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	3 00	15 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	50	4 00	25 00
$3\frac{1}{2}$ to 4 ft	75	5 00	30 00
Japonica (syn., hortensis), var. flori-			
bunda. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	2 00	15 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50	4 00	25 00
3½ to 4 ft	75	5 00	30 00
Japonica, var. Eva Rathke—	35	3 00	20 00
$1\frac{1}{2}$ to 2 ft	50	3 50	25 00
$2\frac{1}{2}$ to 3 ft	75	6 00	40 00
Japonica , var. nivea. White. $2\frac{1}{2}$ to 3 ft.	50	4 00	10 00
3½ to 4 ft	75	5 00	
$3\frac{1}{2}$ to 4 ft	35	3 00	15 00
5 to 6 ft	00	7 50	40 00
Grænewegeni. 2 to $2\frac{1}{2}$ ft	35	3 00	15 00
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
Grænewegeni, var. Mad. Contourier. (Hy-			
brid). 2 to $2\frac{1}{2}$ ft	35	3 00	20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	50	4 00	25 00
$3\frac{1}{2}$ to 4 ft	75	5 00	30 00
Grænewegeni, var. Steltzneri. 3 to $3\frac{1}{2}$ ft.	50	4 00	25 00
$3\frac{1}{2}$ to 4 ft	60	5 00	30 00
	00	7 50	50 00
Grænewegeni, var. Van Houttei—	25	0 50	15 00
$1\frac{1}{2}$ to 2 ft	35	2 50	35 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 75	4 00 6 00	40 00
Verschaffelti. $1\frac{1}{2}$ to 2 ft	35	2 50	15 00
3 to 3½ ft	50	4 00	25 00
	00	7 50	
sessifolia. 2 to 3 ft.	25	2 00	17 50
3 to 3½ ft	50	3 50	25 00
4 to 5 ft	75	5 00	35 00
trifida. 18 to 24 in.	35	2 00	12 50

Each ELÆAGNUS angustifolia. Oleaster. 4 to 5 ft	$\begin{array}{c} 10\\ \$3\ 00\\ 4\ 00\\ 6\ 00 \end{array}$	\$20 00
ter. 2 to 2½ ft. 35 2½ to 3 ft. Bushy 50 3 to 4 ft. Bushy 1 00 4 to 5 ft. Bushy 1 1 50 5 to 6 ft. 2 00 parvifolia. 6 to 7 ft. 75 EUONYMUS alatus. Cork-barked. 5 to 6 ft. 6 00 6 to 7 ft. 6 00 Though little known, it is one of the most ornamental of flowering and fruiting shrubs. Berries	3 00 4 00 6 00 10 00 17 50 5 00	20 00 25 00 30 00 60 00
are bright carmine. Americana. Strawberry Bush— 2 to 2½ ft	2 00 3 00 3 50 3 00 3 50 4 00	15 00 20 00 25 00 25 00 30 00
EXOCHORDA grandiflora. Pearl Bush. 2 to 2½ ft	2 50 4 00 2 50	20 00 35 00 15 00
3 to 4 ft	3 50 4 00 5 00 2 50 4 00 5 00 7 50 3 00 4 00 6 00 7 50 2 00 3 00 4 00 6 00	25 00 30 00 35 00 35 00 35 00 30 00 35 00 20 00 30 00 50 00 15 00 25 00 30 00 50 00
HALESIA tetraptera. 5 to 6 ft	6 00	
Virginiana. Witch Hazel. 2 to 2½ ft. 35 3 to 4 ft. 50 4 to 5 ft. 75 5 to 6 ft.; heavy 1 00	3 00 4 00 6 00 7 50	30 00 50 00 60 00
HIBISCUS Syriacus. Althæa; Rose of Sharon— Boule de Feu. 3 to 3½ ft	4 00 3 00 4 00 3 00 4 00 4 00 5 00 4 00	20 00 25 00 20 00 25 00 25 00 30 00

T3	,	10	100
HIBISCUS purpureus folia marginata. 2 to $2\frac{1}{2}$ ft \$0	ach 35	\$3 00	\$20 00
3 to 3½ ft	50	4 00	25 06
rubis. New. 3 to $3\frac{1}{2}$ ft	35	3 00	20 00
totus albus. $1\frac{1}{2}$ to 2 ft	25	2 00	17 50
2 to 3 ft	35	3 00	20 00
3 to 4 ft	50	4 00	25 00
HIPPOPHAE rhamnoides. Sea Buckthorn—	00	1 00	20 00
	35	2 50	15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$			15 00
HYDRANGEA arborescens. 1 ft.	35	3 00	20 00
Hortensis, var. Imperatrice Eugenie—	~~		
$1\frac{1}{2}$ ft.; 4-in. pot	75		
Hortensis, var. Otaska. 3-year	75		
Hortensis, var. Japonica. 1 ft.	75	9 50	90.00
paniculata. $1\frac{1}{2}$ to 2 ft	35	2 50	20 00
4 to 5 ft.; very heavy	50	4 00 ·	
5 to 6 ft.; very heavy	75 00	6 00 7 50	60.00
	35	3 00	60 00
paniculata grandiflora. $2\frac{1}{2}$ to 3 ft	50	4 00	15 00 25 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$	75	6 00	35 00
$3\frac{1}{2}$ to 4 ft	00	7 50	50 00
	50	12 50	100 00
	90	12 00	100 00
quercifolia. Oak-leaved—	75	6 00	50 00
1 to 1½ ft			
HYPERICUM aureum. 18 to 24 in	35	3 00	25 00
calcinum. Aaron's Beard. 12 in	35	3 00	15 00
hircinum. 1 to $1\frac{1}{2}$ ft	35	2 50	15 00
$1\frac{1}{2}$ to 2 ft	50	3 50	20 00
woserianum nybridum. Gold-Flower—	25	2 50	15 00
10 to 12 in	$\frac{35}{25}$	2 00	15 00 15 00
prolificum. 2 to $2\frac{1}{2}$ ft	35	3 00	20 00
$\begin{array}{c} 2\frac{1}{2} \text{ to } 3 \text{ ft.} \\ 3 \text{ to } 3\frac{1}{2} \text{ ft.} \end{array}$	50	3 50	25 00
-			
ILEX verticillata. Winter Berry. 1½ to 2 ft	25	2 00	17 50
2 to $2\frac{1}{2}$ ft	35	3 00	25 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50	4 00	30 00
ITEA Virginica. 2 ft	35	2 00	15 00
$2 ext{ to } 2\frac{1}{2} ext{ ft.}$	50	3 00	25 00
3 to 4 ft	75	6 00	50 00
JASMINUM nudiflorum. Yellow Jasmine—	95	2.00	20.00
2 to $2\frac{1}{2}$ ft	35 75	$\frac{3}{5} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3 to $3\frac{1}{2}$ ft	10	5 00	33 00
officinale. Hardy White Jasmine—	35	3 00	20 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	30	5 00	20 00
KERRIA. See Corchorus.	0.5	0.50	15 00
LESPEDEZA bicolor. 2 to $2\frac{1}{2}$ ft	35	2 50	15 00
Sieboldi; syn., Desmodium Japonicum—	25	2 00	20.00
Heavy clumps	35	3 00	20 00
Sieboldi, var. alba. Heavy clumps	50	4 00	
LIGUSTRUM Amurense. Amoor Privet—	25	9 50	20.00
2 to 3 ft	35	2 50	20 00
6 to 8 ft	00	8 50	
ciliatum. Sold by many for Ibota.	25	1 50	15 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35	$\frac{1}{2} \frac{50}{50}$	20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	50 50	3 50	25 00
$3\frac{1}{2}$ to 4 ft	75	4 00	30 00
92 00 ± 10		1 00	00 00

LIGUSTRUM Ibota. The true upright form—	ach	10	100
2 to 2½ ft\$0		\$2 00	\$15 00
$2\frac{1}{2}$ to 3 ft	35	3 00	20 00
3 to $3\frac{1}{2}$ ft	50	3 50	30 00
6 to 8 ft		12 50	75 00
Ibota, var. Regelianum. Regel's-			
1½ to 2 ft	50	4 00	25 00
2 to $2\frac{1}{2}$ ft	75	6 00	30 00
$2\frac{1}{2}$ to $\tilde{3}$ ft	00	7 50	40 00
4 to $4\frac{1}{2}$ ft	50	10 00	75 00
media. 4 to 5 ft	75	5 00	30 00
ovalifolium. California Privet—			
2 to $2\frac{1}{2}$ ft.; bushy (1,000, \$40 \rightarrow)	25	1 00	7 50
$2\frac{1}{2}$ to 3 ft.; bushy 1,000, \$50 \rightarrow	35	1 50	10 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}; \text{ bushy } 1,000, \$60 + ($	50	2 50	15 00
$3\frac{1}{2}$ to 4 ft.; bushy. 1,000, \$75\$	60	4 00	25 00
4 to 5 ft.; bushy	75	5 00	30 00
5 to 6 ft.; bushy	00	6 00	35 00
Grand stock, all transplanted;			
a great deal of Privet offered by			
nurseries has never been trans-			
planted. Ours have all been. We			
find it gives better results.			
Sinensis. Chinese Privet. 4 to 5 ft	50	4 00	
5 to 6 ft.; beautiful, bushy stock.	75	6 00	
6 to 8 ft	00	7 50	
vulgaris. Common Privet. 3 to 4 ft	35	3 00	20 00
4 to 5 ft	50	4 00	30 00
LONICERA fragrantissima. Chinese Fragrant Bush			
Honeysuckle. 2 to 3 ft	25	2 00	15 00
3 to 4 ft	35	3 00	20 00
4 to 5 ft.; heavy	50	4 00	30 00
5 to 6 ft.; heavy	75	6 00	



A portion of the propagating grounds at Andorra

LONICERA Morrowi. Japanese Bush Honeysuckle— Each	10	100
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \$0 \ 35$	\$3 00	\$17 50
$2\frac{1}{2}$ to 3 ft	4 50	25 00
$3\frac{1}{2}$ to 4 ft	6 00	40 00
4 to 5 ft	7 50	60 00
Ruprechtiana. 2 to 3 ft	3 50 6 00	20 00
3 to 4 ft	0 00	
3 to 4 ft		
Tatarica, assorted. 3 to $3\frac{1}{2}$ ft	2 50	
$3\frac{1}{2}$ to 4 ft	3 00	
5 to 6 ft	5 00	
6 to 8 ft.; heavy 1 00	6 00	
Tatarica (rubra). 3 to 4 ft	4 00	25 00
5 to 6 ft	6 00	
Tatarica, var. alba. 2 to $2\frac{1}{2}$ ft 35	3 00	20 00
3 to 4 ft 50	3 50	30 00
4 to 5 ft.; heavy 1 00	8 50	50 00
Tatarica, var. bella albida. 3 to 4 ft 50	4 00	25 00
4 to 5 ft	5 00	40 00
Tatarica, var. gracilis. 2 to 3 ft	3 00	00.00
3 to 4 ft	4 00	30 00
4 to 5 ft	6 00 3 00	17 50
Tatarica, var. Chrysanthera. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 35 $3 \text{ to } 4 \text{ ft.}$ 50	3 50	25 00
4 to 5 ft	5 00	35 00
Tatarica, var. splendens. 2 to $2\frac{1}{2}$ ft 35	3 00	20 00
3 to 4 ft	4 00	20 00
LYCIUM Chinense. Matrimony Vine—		
2 to 2½ ft	2 50	20 00
$2\frac{1}{2}$ to 3 ft	4 00	25 00
MYRICA cerifera. Wax Myrtle. 1 to $1\frac{1}{2}$ ft	3 00	25 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	4 00	30 00
cerifera, var. pumila. 1 to $1\frac{1}{2}$ ft 50	4 00	
PAVIA parviflora. See Æsculus, under Shrubs.		
PHILADELPHUS coronarius. Mock Orange—		
3 to 4 ft	4 00	25 00
4 to 5 ft	6 00	30 00
coronarius, var. aureus. Golden	0.00	
Mock Orange. $1\frac{1}{2}$ ft 35	3 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	4 00	
coronarius, var. Avalanche.		
$2 \text{ to } 3 \text{ ft.} \dots 75$ grandiflorus. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 35$	3 00	17 50
grandinorus. 2 to $2\frac{1}{2}$ it	4 00	25 00
4 to 5 ft	6 00	30 00
5 to 6 ft 1 00	7 50	50 00
Lemoinei. (Hybrid). $1\frac{1}{2}$ to 2 ft 35	3 00	15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 50$	4 00	25 00
Lemoinei, var. erectus. 2 ft 35	3 00	20 00
3 to 4 ft	4 00	25 00
Mt. Blanc. 2 to $2\frac{1}{2}$ ft	3 50	25 00
Zeyheri, var. speciosissimus—	4 00	25 00
2 to 3 ft	4 00 6 00	25 00 50 00
6 to 8 ft	0 00	50 00
POTENTILLA fruticosa. Shrubby Cinquefoil—	3 00	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 50	25 00
$2\overline{2}$ to 3 1t	0 00	_0 00

PRUNUS amygdalus communis. Flowering Almond—E. 2 to $2\frac{1}{2}$ ft	ach 75	10 \$5 00	100
amygdalus communis, var. rosea—			
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	75	5 00	
PYRUS arbutifolia. Chokeberry. 2 to 3 ft	35	3 00	\$20 00
$3\frac{1}{2}$ to 4 ft	50	4 00	25 00
4 to 5 ft	75	5 00	30 00
RHAMNUS cathartica. Buckthorn. 3 to 4 ft 4 to 5 ft	35 50	3 00 3 50	$\frac{15}{20} \frac{00}{00}$
RHODOTYPUS kerrioides. White Kerria. 2 to $2\frac{1}{2}$ ft.	25	2 00	15 00
$2\frac{1}{2}$ to 3 ft	35 50	3 00 4 00	$\begin{array}{cccc} 25 & 00 \\ 30 & 00 \end{array}$
$3\frac{1}{2} ext{ to } 4 ext{ ft.} \dots \dots$	75	6 00	40 00
RHUS aromatica. Fragrant Sumac. 2 to $2\frac{1}{2}$ ft	50	4 00	35 00
$2\frac{1}{2}$ to 3 ft	75	6 00	40 00
	00	7 50	50 00
copallina. Shining Sumac. 2 to 2½ ft	35	3 00	20 00
2½ to 3 ft	50	4 00	35 00
Cotinus. Mist, or Smoke Tree. 2 to 3 ft 3 to 4 ft	35 50	$\frac{3}{4} \frac{00}{00}$	20 00 30 00
6 to 7 ft	75	6 00	35 00
Cotinus, var. atropurpurea. Purple Mist-			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	00	6 00	
3 to 4 ft		9 00	
RIBES aureum. Golden Currant. 3 to 4 ft	35	3 00	17 50
4 to 5 ft	50	4 00	20 00
Gordonianum . 2½ to 3 ft	35 50	3 00 4 00	$\frac{20}{30}$, $\frac{00}{00}$
sanguineum, $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	3 00	20 00
ROBINIA hispida. Rose Acacia. 2 to $2\frac{1}{2}$ ft	25	2 00	
-			15 00
RUBUS Canadensis. 3 to 4 ft	35	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	15 00
odoratus. 2 to $2\frac{1}{2}$ ft	25 35	$\frac{2}{3} \frac{00}{00}$	$\frac{15}{20} \frac{00}{00}$
SAMBUCUS Canadensis. 2 to 3 ft	25	1 50	10 60
Melanocarpus. 4 to 5 ft	75	6 00	10 00
nigra, var. aurea. Golden Elder—		0 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	2 50	15.00
$2\frac{1}{2}$ to 3 ft	50	3 50	25 00
3 to 4 ft	50	4 00	35 00
nigra, var. laciniata. Cut-leaved Elder— 2 to 2½ ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	20 00
racemosa. Red-fruited, 2 to 3 ft	35	3 00	15 00
3 to 4 ft	50	4 00	20 00
	00	8 50	
SPIRÆA arguta. 1½ to 2 ft.	35	2 50	20 00
2½ to 3 ft.; heavy	50	3 50	25 00
Billardii. 3 to 3½ ft	35 50	3 00 3 50	25 00
Bumalda. 2 ft.	35	3 00	
$2\frac{1}{2}$ ft.; heavy	50	4 00	
3 ft	75	6 00	

SPIRÆA Bumalda, yar. Anthony Waterer— Each		100
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		\$20 00
2 to 2½ ft.; heavy		30 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}; \text{ heavy} \dots 76$		
callosa. Fortune's Spirea. 3 to 4 ft 50		25 00
callosa, var. alba. $1\frac{1}{2}$ to 2 ft		20 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50		$\frac{25}{15} \frac{00}{00}$
Janonica, var. Fortunei rosea, 2 to 3 ft 50		20 00
Japonica, var. Fortunei rosea. 2 to 3 ft 50 Lindleyana. 18 to 24 in,		20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	0	
opulifolia. 2 to 3 ft		15 00
3 to 4 ft		$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
4 to 5 ft		50 00
6 to 7 ft.: heavy	, 0 00	00 00
3 to 4 ft	4 00	25 00
4 to 5 ft.; heavy		30 00
prunifolia flore pleno. Bridal Wreath—		
2 to 3 ft		30 00
$3 \text{ to } 4 \text{ ft.}; \text{heavy.}$ 50 Reevesiana. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 3	,	20 00
3 to 4 ft		30 00
4 to 5 ft		
rotundifolia; syn., bracteata. 2 to $2\frac{1}{2}$ ft 3		
3 tc 4 ft		
$ 5 \text{ to } 5\frac{1}{2} \text{ ft.} \dots 10 $ sorbifolia. 2 to 3 ft		20 00
3 to 4 ft		35 00
Thunbergii. Thunberg's Spirea—		
$2\frac{1}{2}$ to 3 ft.; very heavy		25 00
$3\frac{7}{2}$ to 4 ft.; very heavy		40 00 15 00
Van Houttei, 2 to $2\frac{1}{2}$ ft		20 00
$2\frac{1}{2} ext{ to } 3 ext{ ft.} $		30 00
4 to 5 ft		40 00
5 to 6 ft		50 00
STAPHYLEA Colchica. Bladder Nut. 2 to 3 ft 3		35 00
3 to 4 ft		40 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$		10 00
STEPHANANDRA flexuosa. 2 to $2\frac{1}{2}$ ft		25 00
$2\frac{1}{2}$ to 3 ft.; heavy 5	0 4 00	30 00
3 to 4 ft 7		40 00
STYRAX Japonica. 2 to $2\frac{1}{2}$ ft	5 6 00	50 00
SYMPHORICARPUS racemosus. Snowberry—	5 2 00	15 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$		20 00
$2\frac{1}{2}$ to 3 ft		25 00
vulgaris. Coral Berry—		00.00
= ** * * * * * * * * * * * * * * * * *	5 3 00	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
	$ \begin{array}{cccc} 0 & 4 & 00 \\ 5 & 6 & 00 \end{array} $	30 00
$3\frac{1}{2}$ to 4 ft.; heavy		40 00
SYRINGA Chinensis; syn., Rothmagensis. Rouen	. 50	
Lilac. 1½ to 2 ft	5 2 50	20 00
Japonica. 3 to 4 ft	_	

DDIOF LIST FOR SPRING OF 1000		4.5
PRICE-LIST FOR SPRING OF 1908	10	45 100
SYRINGA Josikæa. 4 to 4½ ft. .80 75 \$0 Josikæa, var. eximia. ½ to 3 ft. 1 00 \$0 Josikæa, var. H Zabel. ½ to 3 ft. 75 Perkinensis. 10 ft. 2 50	6 00 8 50 6 00	
4 to 5 ft	1 00 5 00 3 00 1 00 5 00	\$30 00 40 00 40 00
vulgaris. Common Lilac. $2\frac{1}{2}$ to 3 ft. 35 3 to $3\frac{1}{2}$ ft. 50 $3\frac{1}{2}$ to 4 ft.; very heavy 1 00	6 00 3 00 4 00 9 00 2 50	
vulgaris alba. $1\frac{1}{2}$ ft	2 50 6 00	20 00
3 to 3\frac{1}{2} ft	3 00 3 00 6 00 2 50 2 50 2 50	50 00 25 00 50 00
2 to 2½ it	4 00 9 00	30 00
ple. 2 ft	4 00 6 00 9 00 2 50 9 00 3 50 4 00 6 00 2 50 4 00 6 00 2 50	30 00 40 00 30 00 40 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 50 7 50 6 00 9 00 3 50	
Matthew de Dombasle. Double, mauve— 2½ to 3 ft. 75 3½ to 4 ft. 1 50 4 to 5 ft. 2 00 President Carnot. 2 to 2½ ft. 75 President Loubet. Double, red. 1½ to 2 ft. 75 2 to 2½ ft. 1 00	6 00 2 50 6 00 6 00 9 00	
Rubra de Marley. Single, reddish purple— 2 to $2\frac{1}{2}$ ft. 50 3 to $3\frac{1}{2}$ ft. 1 00 4 to $4\frac{1}{2}$ ft. 1 50	4 00 7 50 2 50 2 50	30 00 60 00

the state of the s					
E	ach		10	10	0
SYRINGA Senator Volland. Double, red. 2½ to 3 ft.\$0	75	\$6	00		
Souvenir de Ludwig Spæth. Single, red—	7 0		00	00=	~~
$\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.} \dots}{2 \text{ to } 2 \text{ ft.}}$	50		00	\$35	00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$	50		50		
3½ to 4 ft	50	12		17	
TAMARIX Africana: syn., parviflora. $2\frac{1}{2}$ to 3 ft	35	_	00		50
3 to 4 ft	50 75	6	00		00
	00		50		00
Gallica, 2 to 3 ft.	35		00		50
3 to 4 ft	50		00		00
Gallica, var. Indica. 5 to 6 ft	75		00		00
	00		00		00
Japonica plumosa. 2 to 3 ft	35		00		00
3 to 4 ft	50	4	00	25	00
VACCINIUM corymbosum. Swamp Huckleberry—					
1 to 1½ ft	25	2	00	10	00
VIBURNUM acerifolium. 1 to $1\frac{1}{2}$ ft	25	$\tilde{1}$	75		00
$1\frac{1}{2}$ to 2 ft	35		50	20	
cassanoides. White Rod. $1\frac{1}{2}$ to 2 ft	25		00		., 0
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35		00	20	00
$2\frac{1}{2}$ to $\tilde{3}$ ft	50		50		00
4 to $4\frac{1}{2}$ ft		7	50	50	00
dentatum. Arrow-wood. 3 to $3\frac{1}{2}$ ft	50	4	00	25	00
$3\frac{1}{2}$ to 4 ft	75	6	00	30	00
4 to 5 ft.; heavy	00	8	50	40	00
5 to 6 ft 1	50	10			00
Lantana. Wayfaring Tree. $1\frac{1}{2}$ to 2 ft	25		00	17	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	35		00		00
$3\frac{1}{2}$ to 4 ft.; heavy	50		00		00
4 to 5 ft.; heavy	75		00		00
	00		50		00
Lentago. Sheep-berry. $2\frac{1}{2}$ to 3 ft	35		00		00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$	50 75		00		00
4 to 5 ft	00	6	50		00
5 to 6 ft	50		00		00
3 to $3\frac{1}{2}$ ft	75	6			00
4 to 5 ft			50		00
Opulus. High Cranberry Bush—	00	•	00	00	
$1\frac{1}{2}$ to 2 ft	35	3	00	20	00
2 to $2\frac{1}{2}$ ft	50	3	50	30	00
3 to 4 ft. Fine	50	4	00		00
4 to 5 ft. Fine	75		00		00
	00	8	50	75	00
Opulus, var. sterile. Guelder Rose—		_			00
2 to 3 ft	35		00		00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50		00		00
4 to 5 ft	75	0	00	40	00
plicatum. Japanese Snowball.—	50	4	00		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	75		00		
$2\frac{1}{2}$ to 3 ft			00	50	00
4 to 5 ft	50	0	00	00	0.0
Snowball. 4 to 5 ft.; extra fine	50	4	50	30	00
5 to 6 ft. Specimens. Fine 1		6			00
6 to 8 ft. Specimens. Fine 2				100	
A beautiful shrub, deserving					
extensive planting.					

VIBURNUM prunifolium. Black Haw.— Each	10	100
2 to 2½ ft	\$3 00	\$25 00
3 to $3\frac{1}{2}$ ft	4 00	35 00
$3\frac{1}{2}$ to 4 ft	6 00	
Sieboldi. 2 to 2⅓ ft	4 00	
3 to 3½ ft	6 00	
$3\frac{1}{2}$ to 4 ft 1 00	8 50	75 00
VITEX Agnus-castus. Chaste Tree. 2 to 2½ ft 35	3 00	20 00
XANTHOCERAS sorbifolia. 1½ to 2 ft	4 07	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 75$	6 00	
$2\frac{1}{2}$ to $\tilde{3}$ ft	7 50	
XANTHORRHIZA apiifolia. Shrub Yellow Root-		
12 in. In clumps	2 00	12 50
18 in. In clump 50	3 00	15 00
DEEDS AND OD LOSES		
REEDS AND GRASSES		
·Each	10	100
ARUNDO Donax. Clumps\$0 50	\$3 50	100
BAMBUSA Mettake	3 50	
ELYMUS glaucus	1 50	\$12 50
ERIANTHUS Ravennæ 50	3 50	25 00
EULALIA Japonica, and vars. variegata, gracillima	9 90	20 00
univittata, zebrina. Clumps 50	3 50	20 00
FESTUCA glauca. 3-in. pots	1 50	1 50
PHALARIS arundinacea, var. variegata. Ribbon	1 00	1 00
Grass	1 50	12 50
UNIOLA latifolia	1 50	12 50
	1 00	12 00
WINES CLIMPING and TRAILING	DI	ANITO
VINES, CLIMBING and TRAILING	r.L.	ANIS
	Each	10
ACTINIDIA polygama. 5-in.pots	\$0 5	0 \$3 50
6-in. pots; heavy		
AKEBIA quinata. From 4-in. pots		
AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots	3.	
3-year, field-grown; heavy	2	
quinquefolia, var. Engelmanni. 5-in. pots; hea 3-year, field-grown; heavy		
tricuspidata; syn., Veitchi. Japan, or Bost	ton	2 00
Ivy. 4-in. pots; heavy	3	5 3 00
2-year, field-grown; heavy per 100, \$15	5 2.	5 2 00
ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots	7	5 6 00
6-in. pots		7 50
BIGNONIA grandiflora. 5-in. pots		
2 to 3 ft.; field-grown	3	
radicans. Scarlet Trumpet Vine. 5-in. pots 2 to 3 ft.; field-grown		
CELASTRUS scandens. False Bitter-sweet—		. = 00
3 to 5 ft.; heavy; field-grown	7	6 00

	Each	10
CLEMATIS coccinea. 4-in. pots		\$3 00
Flammula. Sweet Clematis. 3-in. pots	75	6 00
graveolens; syn., orientalis. 4-in. pots	35	3 00
Large-flowering varieties.—Fairy Queen, Gem,		
Henryi, Jackmani, Jackmani, var. alba, Jeanne d'Arc, Duchess of Edinburgh, Kermesina,		
Lady Caroline Neville, Lilacina floribunda,		
Lady Caroline Neville, Lilacina floribunda, Madame Van Houtte, Miss Bateman, Presi-		
dent	50	4 00
paniculata. 2-year; heavy per 100, \$15	30	2 50
5-in. pots; fine	50	3 50
DOLICHOS. See Pueraria.	25	1 77
EUONYMUS radicans. 1 ft.; field-grown per 100, \$10. $1\frac{1}{2}$ to 2 ft.; field-grown per 100, \$15.	$\frac{25}{35}$	$\begin{array}{ccc} 1 & 75 \\ 2 & 50 \end{array}$
HEDERA Helix. English Ivy. 4-in. potsper 100, \$15	25	2 00
4-in. pots; heavy per 100, \$20	35	3 00
JASMINUM. See Deciduous Shrubs.		
LATHYRUS latifolius. Everlasting Pea	35	2 50
LONICERA Japonica. Honeysuckle. 4-in. pots	25	2 50
3-year; field-grown	35	3 00
Japonica, var. brachypoda; syn., flexuosa. Field-		
grown	35	3 00
Japonica, var. aurea reticulata. 4-in. pots Japonica, var. Chinensis. Purplish green foliage—	35	3 00
4-in. pots	25	2 00
Heavy field-grown	35	3 00
Japonica, var. Halliana. 4-in. pots	25	2 00
5-in. pots	35	3 00
3-year-old, field-grown	35	3 00
sempervirens, var. fuchsioides. Scarlet Trumpet— 5-in. pots	50	3 50
PERIPLOCA Græca. Silk Vine. Field-grown.	35	3 00
4-in. pots	50	4 00
6-in, pots	75	6 00
PUERARIA Thunbergiana; syn., Dolichos Japonicus. Kudzu		
Vine. In pots	1 00	7 50
TECOMA. See Bignonia.		
VITIS æstivalis. Summer Grape. 5-in. pots	75	6 00
heterophylla, var. variegata, 5-in. pots	75	6 00
Labrusca. Fox Grape. 5-in. pots	50	4 00
WISTARIA Chinensis. Chinese Wistaria—	~0	4 00
2 to 3 ft.; field-grown	50 75	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$
4 to 6 ft.; field-grown		0 00
Chinensis, var. alba. Field-grown		7 50
frutescens. 3 to 4 ft	75	6 00
4 to 6 ft		
magnifica. 5 to 6 ft; field-grown\$1.50 to		4 00
multijuga. 2 to 3 ft.: field-grown	50	4 00
3 to 4 ft.; field-grown	$\frac{75}{2.50}$	6 00
multijuga, var. alba. Field-grown	75	6 00
3 to 4 ft	1 00	7 50
4 to 6 ft\$1.50 to	2 50	

FRUIT DEPARTMENT		
	Each	10
APPLES, Summer—Early Harvest, Golden Sweet, Red Astra- chan, Summer Rambo, Sweet Bough, Tetofsky, Yellow Transparent.		
Autumn—Duchess of Oldenburgh, Gravenstein, Maiden's Blush, Red Bietigheimer.		
Winter—American Golden Russet, Baldwin, Belle- fleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Wealthy. 5 to 7 ft.; \(\frac{3}{2} \) to 1 in. cal.		\$ 6 00
Crab—Hyslop, Large Red Siberian, Large Yellow Siberian, Transcendent. 5 to 7 ft	75	6 00
CHERRIES, Sour (Dukes and Morellos)—Early Richmond, Empress Eugenie, May Duke, Late Duke, Montmorency, 5 to 6 ft		
Large Sweet (Hearts and Bigarreaus) - Black		
Eagle, Black Tartarian, Governor Wood, Napoleon Bigarreau, Yellow Spanish. 5 to 6 ft		. 8 50
NUTS, American Sweet Chestnut. See under Deciduous Trees. Spanish Chestnut. See under Deciduous Trees.		
Hybrid Chestnut. See under Deciduous Frees. Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft Japan Chestnut. 3 to 4 ft	1 00	12 50
PEACHES—Belle of Georgia, Crawford's Early, Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Wheatland 5 to 6 ft	50	3 50
Angouleme, Howell, Kieffer's Hybrid, Lawrence. Winter—Rutter, Seckel, Sheldon, Worden-Seckel.		
5 to 6 ft	2 00	8 50 15 00
PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma, Willard. 5 to 6 ft	1 00	7 50
QUINCES—Champion, Orange, Ree's Mammoth. 3 to 4 ft	75	6 00
SMALL FRUITS		
BLACKBERRIES—Eldor do, Erie, Kittatinny, Rathbun, Snyder, Wilson Junior, .per 100, \$3		50
CURRANTS, R.d.—Cherry, Fay's Prolific; White—White Grape; Black—Lee's Prolific	25	2 00
GOOSEBERRIES, Red—Houghton, Industry; Green—Down ing, Smith's Improved	25	2 00
GRAPES, Black—Concord, Moore's Early, Warden; Red— Brighton, Catawba, Delaware; White— Green Mountain, Niagara. Pocklington.		2.00
2-year	25 50	2 00 3 00

	Each	10
RASPBERRIES, Black—Gregg; Red—Cuthbert, Columbian		
Ruby; Yellow—Golden Queen		
per 100, \$3		\$ 0 50
STRAWBERRIES, Early—Bederwood, Marshall; Medium—		
Bubach, Glen Mary, Sharpless;		
Late - Brandywine, Gandy.		
Runners, per $100, \$2$; per $1,000$		
\$7.50. Potted plants, per 100,		
\$3 to \$4.		

ESCULENT ROOTS
ASPARAGUS—Barr's Mammoth. Per 100, \$1.50; per 1000, \$6. RHUBARB—Best varieties. Per 10, \$1.50; per 100, \$10.

ROSES

Potted, unless noted		
	Cach	10
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow. \$ SWEETBRIER—Rosa rubignosa	40	\$3 50 3 50
HYBRIDS Penzance Briers—Amy Robsart, Anne of Geierstein.	40	3 30
Brenda, Flora McIvor, Lady Penzance, Lord		
Penzance, Meg Merrilies, Minna	40	3 50
BUSH—Carolina (Swamp Rose), Rosa canina, Lucida, Lucida,		
yar. alba multiflora, nitida rubrifolia (Red-leaved	0.7	0 00
Rose), field-grown	35	3 00
Queen, Grevillea, or Seven Sisters	40	3 50
Setigera. 2 to $2\frac{1}{2}$ ft.; field-grown	35	3 00
Ramblers—Crimson, White, Pink and Yellow, The		
Dawson (carmine)	40	3 50
EVERBLOOMING, Hybrid Teas—Captain Christy, Caroline		
Testout, Cheshunt Hybrid, Countess of Caledon, Duchess of Albany, Gladys		
IRISH Harkness, Kaiserin Augusta Victoria,		
GROWN La France, Madame Eugenie Boullet,		
Souvenir du President Carnot, Killar-		
ney	50	4 50
Clothilde Soupert (Polyantha), Fran- cisca Kruger (Tea), Francis Dubreuil		
GROWN (Tea), Hermosa (China), Maman Cochet	-	
(Tea), Madam Ravary (Tea), Souvenir		
de la Malmaison (Bourbon), White		
Maman Cochet (Tea)	50	4 50
HYBRID PERPETUAL—Alfred Williams (carmine-red), Baro-		
ness Rothschild, Boule de Neige, Captain Hayward, Clio, Eugene		
Verdier, General Jacqueminot,		
IRISH Lady Helen Stewart, Louis Van		
GROWN Houtte, Madame Gabriel Luizet,		
Magna Charta, Margaret Dickson,		
Merveille de Lyon, Mrs. R. G. Shar- man-Crawford, Mrs. John Laing,		
Paul Neyron, Prince Camille de		
Rohan, Ulrich Brunner, Pride of		
Waltham	40	3 50
MOSS—Blanche Moreau, Crimson Globe	40	3 50

RUGOSA ROSES			
	Each	10	100
ROSA rugosa . 1½ to 2 ft	$\frac{35}{35}$	\$2 25 3 00	\$15 00 20 00
$2 to 2\frac{1}{2} to 3 ft.$	50	4 00	25 00
rugosa, var. alba. 1½ to 2 ft	50	4 00	25 00
rugosa Hybrids—Blanc Double de Coubert,			
Conrad F. Meyer, Madame Georges Bruant, Madam Charles Worth, Mrs. A. Waterer.			
Pot-grown	50	4 00	
WICHURAIANA ROSES			
ROSA Wichuraiana. The Trailing Rose. 1 to 2 ft	25	2 00	
2 to 3 ft. In 4-in. pots	35	3 00	25 00
Hybrids —Evergreen Gem, Gardenia, Manda's			
Triumph, Pink Roamer, South Orange Perfection, Universal Favorite. In pots	50	3 50	
SINGLE ROSES, Dickson's Hybrids-New Irish Beau-			
ty, Irish Glory, Irish Modesty.			
+	75	6 .00	
HARDY HERBACEOUS P	r A 1	NTC	
		NID	
ACHILLEA filipendulina (Noble Yarrow). July. Gol-	Each	10	100
den yellow. 2 ft) 15	\$1 25	\$10 00
tember. Pink. $1\frac{1}{2}$ ft	15	1 25	
Ptarmica, The Pearl. All summer. White. 2 ft	15	1 25	10 00
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and	25	2 00	
October Blue 3 ft.	35	2.50	15.00
October. Blue. 3 ft	35	2 50	15 00
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft.	35 35	2 50 2 50	15 00
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and Sep-	35	2 50	15 00
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft.	35 35	2 50 2 50	
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in	35	2 50	12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft.	35 35 25	2 50 2 50 1 50	
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft.	35 35 25 25 25	2 50 2 50 1 50 1 50 1 50	12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed	35 35 25 25	2 50 2 50 1 50 1 50	12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum. June and July. Golden Yellow.	35 35 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 1 50	12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed	35 35 25 25 25	2 50 2 50 1 50 1 50 1 50	12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft rosea, var. Allegheny Fringed. ALYSSUM rostratum. June and July. Golden Yellow. 1 ft saxatile compactum(Golden Tuft). May and June. Yellow. 1 ft	35 35 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 1 50	12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft rosea, var. Allegheny Fringed. ALYSSUM rostratum. June and July. Golden Yellow. 1 ft saxatile compactum(Golden Tuft). May and June. Yellow. 1 ft	35 35 25 25 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 1 50 2 50 1 50	12 50 12 50 12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum. June and July. Golden Yellow. 1 ft. saxatile compactum(Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italica (Alkanet). May and June. Blue. 3 to 4 ft.	35 35 25 25 25 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 2 50 1 50 1 50	12 50 12 50 12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum. June and July. Golden Yellow. 1 ft. saxatile compactum(Golden Tuft). May and June. Yellow. 1 ft ANCHUSA Italica (Alkanet). May and June. Blue. 3 to 4 ft. Italica, var. Dropmore. New.	35 35 25 25 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 1 50 2 50 1 50	12 50 12 50 12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft rosea, var. Allegheny Fringed. ALYSSUM rostratum. June and July. Golden Yellow. 1 ft saxatile compactum(Golden Tuft). May and June. Yellow. 1 ft ANCHUSA Italica (Alkanet). May and June. Blue. 3 to 4 ft Italica, var. Dropmore. New. ANEMONE (Windflower) Japonica. September. Red. 2 to 3 ft.	35 35 25 25 25 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 2 50 1 50 1 50 6 00 1 50	12 50 12 50 12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum. June and July. Golden Yellow. 1 ft. saxatile compactum(Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italica (Alkanet). May and June. Blue. 3 to 4 ft. Italica, var. Dropmore. New. ANEMONE (Windflower) Japonica. September. Red. 2 to 3 ft. Japonica, var. alba. Fall. White. 2 to 3 ft.	35 25 25 25 25 25 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 2 50 1 50 1 50 1 50 6 00	12 50 12 50 12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum. June and July. Golden Yellow. 1 ft. saxatile compactum(Golden Tuft). May and June. Yellow. 1 ft ANCHUSA Italica (Alkanet). May and June. Blue. 3 to 4 ft. Italica, var. Dropmore. New. ANEMONE (Windflower) Japonica. September. Red. 2 to 3 ft. Japonica, var. alba. Fall. White. 2 to 3 ft. Japonica, var. Queen Charlotte. Fall. Rose.	35 35 25 25 25 25 25 25 25 25 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 2 50 1 50 1 50 1 50 1 50 1 50	12 50 12 50 12 50 12 50 12 50 12 50
October. Blue. 3 ft. Lycoctonum (Wolf's-bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright blue. 6 in. reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum. June and July. Golden Yellow. 1 ft. saxatile compactum(Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italica (Alkanet). May and June. Blue. 3 to 4 ft. Italica, var. Dropmore. New. ANEMONE (Windflower) Japonica. September. Red. 2 to 3 ft. Japonica, var. alba. Fall. White. 2 to 3 ft.	35 35 25 25 25 25 25 25 25 25 25 25 25 25	2 50 2 50 1 50 1 50 1 50 2 50 1 50 1 50 6 00 1 50	12 50 12 50 12 50 12 50 12 50



Partial view of Herbaceous Plantations

ANEMONE Japonica, var. Whirlwind. Fall. Pure E	ach	10	100
white. 2 to 3 ft\$0		\$2 0	315 00
Pennsylvanicum. June and July. White. 1 to 2 ft.	25	1 50	0 12 50
Pulsatilla (Pasque Flower). May. Violet-purple.			
9 in	25	1 50	12 50
sylvestris. May. Pure white. 1 to $1\frac{1}{2}$ ft	25	1 5	0 12 50
ANTHEMIS tinctoria (Chamomile). June to Septem-			
ber. Golden Yellow. 2 ft,	25	1 5	0 10 00
AQUILEGIA baicalense. May to July. Blue and white.			
18 in	25	1 50	0 12 50
Canadensis. (Common Columbine). May to July.			
Scarlet and Yellow. 1 to 2 ft	25	1 50	0 10 00
Chrysantha, May to August. Golden Yellow. 3 ft.	25	2 0	0 12 50
cærulea (Rocky Mountain Columbine). May to			
July. Blue. 18 in	25	2 0	0 12 50
flabellata, var. nana alba. April to June. White.			
1 ft	25	2 0	-
Haylodgensis. Hybrids of Cærulea. 2 ft	25	2 0	
nivea grandiflora. April to June. White. 2 to 3 ft.	25	2 0	0 12 50
vulgaris fl. pl. May to July. White to blue. $1\frac{1}{2}$ to			
2 ft	25	2 0	0 12 50
truncata. May and June. Scarlet, yellow-tipped.			0 0 40 80
2 ft	25	2 0	0 * 12 50
ARABIS alpina (Rock Cress). April and May. White.			
4 in	25	1 5	
alpina fl. pl. Double	35	2 5)
ARENARIA montana, var. grandiflora. (Sandwort).			
May and June. White. 6 in	25	1 5	0 12 50

ARMERIA maritima, var. alba (Thrift). Summer. E	ach	10	,	100
White. 9 in	25	\$1	50	\$10 00
maritima, var. splendens. Summer. Rose. 9 in	25	1 .	50	12 50
ARTEMISIA abrotanum (Old Man). Silvery white	25	1	50	10 00
foliage. 2 ft	$\frac{25}{25}$	1 .		10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and		-		20 0
August. Orange. 2 ft	25	1 .	50	10 00
ASTER alpinus. June and July. Purple. 9 in	. 25	1 .	50	10 00
Amellus elegans. September and October. Blue.				
$1\frac{1}{2}$ ft	25	1	50	10 00
ASTER (Michelmas Daisy) amethystinus. Septem-	0.5	4	×0	10.00
ber and October. Amethyst. 3 to 4 ft	25	1	90	10 00
blue. 2 ft	35	2	50	20 00
Lady Trevelyan. September and October. White.				
3 ft	25	1		10 00
Madonna. September and October. White. 4 ft	25	1	50	10 00
Mrs. F. W. Rayner. September and October.	25	1 .	50	10 00
Reddish violet. 4 ft	20	1 .	50	10 00
4 ft.	25	1 .	50	° 10 00
Novæ Angliæ, var. rubra. September and October.				
Bright rose, 4 ft	25	1 .	50	10 00
ptarmicoides. August and September. White.	0.5	4	= 0	10.00
1½ ft. Robert Parker. September and October. Laven-	25	1	90	10 00
der. 4 ft	25	1	3 0	10 00
Tataricus. October and November. Purple. 5 ft.	25	1		10 00
Trinervius. October and November. Violet-pur-				
ple. $2\frac{1}{2}$ ft	25	1	50	10 00
White Queen. September and October. White.	25	1 .	50	10 00
ASTILBE Japonica (Spirea). June. White. 1½ ft	25	1		10 00
ASTRANTIA major (Masterwort). June and July.	20	1	90	10 00
Pale pink. 1 ft.	25	2	50	20 00
AUBRIETIA Hendersoni (False Wall Cress). April.		_	-	_0 00
Purplish violet. 4 in.	25	1	50	12 50
BAPTISIA australis (False Indigo). June and July.				
Dark blue. 2 ft	25	1		10 00
tinctoria. June and July. Bright yellow. 2 to 3 ft.	25	1	50	10 00
BFLEMCANDA Chinensis; syn., Pardanthus. June.	0.5		~ ^	***
Orange-red. 4 ft.	25	1	50	10 00
BELLIS perennis (English Daisy). May. White and pink. 6 to 8 in.	25	1	50	10 00
BETONICA. See Stachys.	20	1	30	10 00
BOCCONIA cordata (Plume Poppy). July and August.				
White, 5 ft	25	1	50	12 50
BOLTONIA asterioides (False Chamomile). August	20			12 00
and September. White. 4 ft	25	1	50	10 00
latisquama. August and September. Light lilac.	0.5			10.00
4 ft	25	1	50	10 00
CALIMERIS incisa (Starwort). July to September.	25	1	50	19 00
Light blue. 18 in	20	1	90	10 00

· E	ach	10	100
CALLIRHOË involucrata (Poppy Mallow). All summer. Rosy crimson. 1 ft	25	\$1 50	\$10 00
CAMPANULA Carpatica (Carpathian Harebell) June to September. Blue. 9 in	25	1 50	10 00
Carpatica, var. alba. June to September. White. 9 in. Mærheimi. May to July. White. 2 to $2\frac{1}{2}$ ft	25 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	10 00
persicifolia (Peach Bells). June and July. Blue. 18 in persicifolia alba. June and July. White. 18 in.	25 25	1 50 1 50	10 00 10 00
pyramidalis (Chimney Bellflower). August and and September. Blue. 2 ft.	25	1 50	10 00
rapunculoides, June and July, Blue. 3 ft CENTAUREA montana (Perennial Cornflower). June	25	1 50	10 00
and July. Dark purple. 1½ ft,	25	1 50	10.50
6 in	25 25	1 50	12 50 15 00
CHELONE Lyoni (Turtlehead). August and September. Rose-purple. 2 ft	35	2 50	10 00
obliqua, var. alba (Shell-flower). August and September. White. 2 ft	35	2 50	
CHRYSANTHEMUM leucanthemum hybridum (Shasta Daisies). Alaska, California, Westralia. All-summer. White. 2 ft	35	2 50	15 00
maximum, var. Triumph (Moonpenny Daisy). July to October. White. 2 ft	25	1 50	12 50
Nipponicum. September and October. White. 2 ft. Pompon Varieties. Fall. All colors. $1\frac{1}{2}$ to 2 ft	35 25	2 50 1 50	10 00
Pompon Varieties, Heavy Stock	25 25	2 00 1 50	15 00 10 00
Yellow 1 ft	25	1 50	12 50
Yellow, 2 ft	25	2 00	15 00
White. $2\frac{1}{2}$ ft Dahurica (Bugbane). August and September. White. 2 to 3 ft	35 35	2 50	15 00
racemosa (Snakeroot). July. White. 3 to 5 ft CINERARIA. See Artemisia.	25	1 50	12 50
CLEMATIS crispa (Leather-flower). June to September. Lavender. 3 to 4 ft	25	1 50	12 50
recta. June to August. White. Fragrant. 2 to 3 ft.	$\frac{25}{25}$	1 50 1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
CONOCLINIUM cœlestinum (Mist-flower). September and October. Deep blue. 18 in	25	1 50	12 50
convallaria majalis (Lily-of-the-Valley). May, and June. White. 6 to 9 in	25	2 00	15 00
Golden yellow. 2 ft	15	1 25	10 00

F	ich	10	100
DELPHINIUM Chinense (Larkspur). July to Sep-		10	100
tember. Blue. 1½ ft		\$1 50	\$10 00
$1\frac{1}{2}$ ft	25	1 50	10 00
4 ft	25	1 50	10 00
formosum (Larkspur). June to September. Deep blue. 4 ft	25	1 50	10 00
DIANTHUS barbatus (Sweet William). May to July.		4 70	40.00
Mixed Colors, 1½ ft	$\frac{25}{25}$	1 50 1 50	10 00 10 00
deltoides (Maiden Pink). June. Pink. 4 in latifolius. June. Red. 1 ft	25	1 50	10 00
plumarius (Hardy Pinks). May and June. 1 ft	25	2 00	15 00
Varieties: Delicata. Rose, with fringed petals.			
Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center.			
Her Majesty. White. Mrs. Sinkins. White.			
Stanislaus. Violet-rose, with crimson center.			
DICENTRA eximia (Seal-flower). June to August.			
Pink. 1 ftspectabilis (Bleeding-heart). May and June.	25	1 50	10 00
Pink, 2 to 3 ft	25	2 00	12 50
DICTAMNUS fraxinella (Gas Plant). June. Purple.			
3 ft. fraxinella, var. alba. June. White. 3 ft.	35 35	2 50 2 50	$\begin{array}{ccc} 15 & 00 \\ 15 & 00 \end{array}$
DIGITALIS ambigua (Foxglove). July and August.	99	2 30	15 00
Pale vellow, 3 ft.	25	2 00	15 00
purpurea (Common Foxglove). June and July.	0~	1 *0	10.00
Mixed colors, 4 to 5 ft	25	1 50	10 00
purpurea, var. gloxinæflora. June and July. Mixed colors. 4 to 5 ft	25	1 50	10 00
DORONICUM Austriacum. April and May. Yellow.	0."	0 =0	1 00
2 ft. plantagineum, var. excelsum. April to June.	35	2 50	1 5 00
Yellow. 2 ft.	35	2-50	15 00
ECHINACEA purpurea (Purple Cone-flower). July to		2 00	
September. Rosy purple. 3 ft	25	2 00	15 00
Violet-blue. 1½ to 2 ft	25	2 00	15 00
ERYNGIUM amethystinum (Sea Holly). July to Sep-			
tember. Amethyst-blue, 2 ft	35	2 50	
tember and October. White 3 ft	25	1 50	12 50
cœlestinum, Fall. Light blue. 2 ft.	25	1 50	12 90
EUPHORBIA corollata (Spurge). July to September.			
White. $1\frac{1}{2}$ ft	25	1 50	$12^{-}50$
FEVERFEW, Little Gem. June to October. White.	25	1 50	10 00
FUNKIA Fortunei (Day Lily). July to August. Blue.	2.0	1 50	10 00
11 to 2 ft	25	1 50	12 50
ovata. July to August. Deep blue. 1½ to 2 ft subcordata, var. grandiflora. September. White.	25	1 50	12 50
Fragrant. 2 ft	25	2 00	15 00
undulata, var. media picta variegata. July and	25	1 50	12 50
August. Lilac. 1 ft	20	1 .50	12 50

F	ach	1	0	100
GAILLARDIA grandiflora (Blanket-flower). June to				
November, Yellow. 1½ ft	25	\$1	50	\$10 00
Blue. 2 ft.	25	1	50	10 00
Blue. 2 ft. officialis, var. alba, July and August. White.	0.5	4	=0	10.00
GERANIUM sanguineum (Cranesbill). June to Sep-	25	1	50	10 00
tember. Red. $1\frac{1}{2}$ ft	25	1	50	
GEUM coccineum (Avens). June and July. Scarlet.		0	00	45 00
1½ ft	$\frac{25}{25}$		00	15 00 15 00
Heldrechi, June, Orange, 18 in montanum, June and July, Yellow, 18 in	$\frac{25}{25}$		00	15 00
GILLENIA trifoliata (Bowman's Root). Rose and				
white. July. 3 ft	35	2	50	
GYPSOPHILA paniculata (Baby's Breath). July. White. 2 to 3 ft.	25	1	50	12 50
HELENIUM, pumilum (Sneezewort). July to Octo-	20	_	00	12 00
ber. Yellow. 14 ft	25	1	50	10 00
autumnale, var superbum. July to October.	25	1	50	10 00
Yellow. 4 ft	20	1	30	10 00
ber, Orange, 3 ft	25		00	15 00
Hoopesi, All summer. Orange-yellow. 2 ft	25	2	00	15 00
HELIANTHUS (Perennial Sunflowers). giganteus. August to October. Pale yellow. 6 to 10 ft	25	1	50	10 00
Maximiliana. September. Deep yellow. 6 to 8 ft.	25		50	10 00
mollis. September and October. Golden yellow.	25	1	50	10 00
4 ft. multiflorus fl. pl. July and August. Golden yel-	20	1	30	10 00
low. 4 ft	25	1	50	10 00
orgyalis. September and October. Golden yellow	25	1	50	10 00
6 ft	25		50	10 00
rights, var. Miss Mellish. September and Octo-				
ber. Golden yellow. 6 ft rigidus, var. Wolly Dodd. September. Deep yel-	25	1	50	10 00
low. 3 ft	25	1	50	10 00
HELIOPSIS Pitcheriana. June to October. Orange-				
yellow, 3 ft.	25	1	50	10 00
HELLEBORUS niger (Christmas Rose). March. White 6 in.	35	3	00	
niger, var. atrorubens. March. Purple. 9 in	35		00	
HEMEROCALLIS (Yellow Day Lily) Dumortieri.	~~	-	~ 0	10.50
June and July. Orange-yellow. 2 ft	$\frac{25}{25}$		50 50	12 50 $12 50$
fulva (Tawny Day Lily). July and August. A	20	_	00	12 00
tawny yellow. $2\frac{1}{2}$ ft	25	1	50	12 50
fulva, var. Kwanso fl. pl. (Double Orange Lily). July and August. Coppery yellow. 2½ ft	25	1	50	12 50
fulva, var. Thunbergii. August and September.		•		
fulva, var. Thunbergii. August and September. Lemon-yellow. 2½ ft	25	1	50	12 50
HEPATICA triloba (Liverleaf). April. White and blue. 6 in	25	1	25	10 00
HEUCHERA sanguinea (Alumroot). June to Septem-	20	•	20	10 00
ber. Coral-red. 18 in.	25	2	00	15 00
sanguinea, var. alba. June to September. White.	25	2	00	
18 in	20	2	00	



A field of Japanese Iris at Andorra

HIBISCUS militaris. June to September. Buff-yellow. E 18 in		10 \$2 00	100
5 ft.	25	1 50	\$10 00
Moscheutos, var. Crimson Eye. July to September. White. 5 ft.	25	1 50	10 00
HOLLYHOCKS. See Althæa rosea.			
IBERIS sempervirens (Candytuft). April and May.			
White. 6 in	25	1 50	
corifolia. April and May. White. 9 in.	25	1 50	10 00
INULA Britannica (Fleabane). July to September.			
Light yellow. 2 ft	25	1 50	12 50
IRIS. For Special Descriptive Lists, consult Calendar of Ha dy Perennials.			
atroviolacea. May. Dark violet. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	3 00	
cristata. April and May. Light blue. 6 in	25	1 50	12 50
Florentina. May. Tinted white. Fragrant. 1\frac{1}{2} ft.	25	2 00	
Germanica. May. Named varieties. 1½ to 2½ ft.	25	1 50	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June	25	2 00	15 00
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft Customer's selection	$\frac{25}{35}$	3 00	25 00
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. specios . June. Indi o-blue. 2 to 3 ft.	35	3 00	25 00
Pseudacorus, June. Yellow. 2 to 3 ft	25	2 00	15 00
pumila nova, May. Various colors. 8 to 10 in	25	1 50	12 50
Sibirica. May and June. Bright blue. $1\frac{1}{2}$ ft	25	1 50	10 00
Sibirica, var. alba. June. White. 2 ft. Rare	35	3 00	
Sibirica, var. orientalis. May. Deep blue. 1½ ft.	25 25	1 50 2 00	$\frac{10}{15} \frac{00}{00}$
tectorum. May. Bright lilac. 1 ft	40	()()	1.7 ()()

Experience of the control of the con	ach	10	0	10	0 .
KNIPHOFIA aloides (Red-hot Poker). August and September. Crimson. 3 ft	25	\$1	50	\$12	50
obelisque. July and August. Saffron-yellow.	35	2	50	15	00
Pfitzerii (Flame-Flower). July to October. Orange-scarlet. 3 to 4 ft	35	2	50	15	00
LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing	25	2	00		
latifolius, var. roseus. Summer. Rose. Climbing. latifolius, var. splendens. Summer. Climbing	$\frac{25}{25}$		00	15	.00
latifolius, var. Pink Beauty. Summer. Bright		_			
pink. Climbing	25		00		00 50
vera (Lavender). 15 to 18 in.	$\frac{25}{25}$		50 50		50
LIATRIS graminifolia (Blazing Star). August and					
September. Rosy purple. 2 ft	25	1	50	12	50
pycnostachya (Kansas Gay Feather). September. Rosy purple. 4 to 5 ft	25	1	50	12	50
Rosy purple. 4 to 5 ftspicata (Gay Feather). August and September.	0.5			10	=0
Deep purple. 3 to 4 ft	25	1	50	12	50
LILIUM Canadense (Meadow Lily). July. Shades of yellow. 2 to 4 ft	25	1	50	12	50
Philadelphicum (Wood Lily). July and August.	25	9	00	15	00
Orange-scarlet. 2 to 4 ftspeciosum, var. roseum (Japan Lily). July and	20	2	00	19	00
August. Rosy white. 2 to 4 ft	25	2	00	15	00
tigrinum (Tiger Lily). August. Salmon-red.	25	1	50	12	50
LINUM Austriacum (Austrian Flax). June to August.					
Bluish purple. 18 inperenne (Perennial Flax). June to September.	25	1	75		
Clear blue. 18 in	25	1	75		
September, Scarlet, 2 to 3 ft	25	1	50	12	50
syphilitica (Blue Lobelia). August and September. Deep blue. 2 ft	25	1	50		
LYCHNIS Chalcedonica (London Pride). July to Sep-					
tember. Vermilion. 2 to 3 ft	25	1	50	12	50
son. $1\frac{1}{2}$ to 2 ft	25	1	25	10	00
coronaria, var. alba. June and July. White. $1\frac{1}{2}$ to 2 ft	25	1	25	10	00
Haageana. June and July. Orange-scarlet. 1½ ft.	$\frac{25}{25}$		50	10	00
vespertina, var. alba plena (White Campion). May to September. White. 1 ft	25	1	50	19	50
viscaria (Catchfly). June and July. Red. $1\frac{1}{2}$ ft.	25		50		50
viscaria, var. splendens. (German Catchfly). June and July. Pink. 15 in	25	1	50	12	50
LYSIMACHIA clethroides (Loosestrife). July to Sep-		-	00		-
tember. White. $1\frac{1}{2}$ ft	25	1	25	10	00
nummularia (Moneywort). June to August. Yellow. Creeping	25	1	50	10	00
LYTHRUM roseum superbum (Rose Loosestrife). July to September. Rose. 3 ft	25	1	50	12	50
MERTENSIA pulmonarioides (Virginia Cowslip). May and June. Blue. 2 ft.	25	1	50	10	00

\mathbf{E}_{i}	ach	10	0	100	
MONARDA didyma (Oswego Tea). August and September. Scarlet. 2½ ft\$0	25	\$1	50	\$10 00	1
didyma, var. Cambridge Scarlet. August and Sep-					
tember. Scarlet. 2 ft	25	1	50	10 00)
Črimson-scarlet. 2 ft	25	1	50	10 00)
MYOSOTIS alpestris, var. Victoria. May and June. Light blue. 6 to 9 in	25	1	50	10.00)
palustris (Forget-me-not). May and June. Light		_			
blue. Spreading	25	1	50	10 00)
Purple. 6 in.	25	1	50	10 00)
ENOTHERA fruticosa, var. major (Sundrops). July	25	2	00	15 00	1
Yellow. 1½ ft					
Lemon. $1\frac{1}{2}$ to 2 ft	25 25		50 00	12 50 $15 00$	
Missouriensis (Large Evening Primrose). June					
and July. Yellow. 1 ft	25	2	00	15, 00)
White. $1\frac{1}{2}$ ft	25	1	50	10 00)
OPHIOPOGON Jaburan, var. aureus variegatus (Snake's Beard). September. Blue. 6 in	50	3	50		- 1
PACHYSANDRA procumbens (Mountain Spurge).					
March to May. White or purple. Spreading terminalis. May and June. White. 8 in	$\frac{25}{25}$		50 50	12 50 12 50	
PÆONIA. See our Calendar of Hardy Perennials for		_			
Special List. Chinensis, Double Varieties. Our selection. May					
and June	35		00	25 00)
Chinensis, Single Varieties. Our selection	50 35	12 3	00	25 00)
corallina. May. Single. Reddish purple Moutan (Tree Peony). May and June. Different	35	3	00	25 00)
colors	00	9	00		
officinalis, var. rubra plena. Early April. Double;	50	4	00	35 00)
officinalis, var. rosea plena. Early April. Double;			-	30 00	
pink	00 50		00		
tenuifolia, var. plena. Early April. Double;	50	4	00		
triternata. April. Single; bright red	35		00	25 00	Э
PAPAVER bracteatum. June. Blood-red. 4 ft nudicaule (Iceland Poppy). All summer. Many	25	2	00	12 50)
colors. I ft	25	1	50	10 00	Э
orientale (Oriental Poppy). June. Orange-scar- let. 2 ft	25	2	00	12 50)
PARDANTHUS. See Belemcanda.					
PENTSTEMON barbatus, var. Torreyi (Torrey's Beard	25	1	50	10.00	2
Tongue). June to August. Scarlet. 3 to 4 ft grandiflorus. June to August. Purplish blue.	20	1	50	10 00	,
$2 ext{ to } 2\frac{1}{2} ext{ ft.} \dots$	25	2	00	15 00)
lævigatus, var. Digitalis. July and August. White	25	2	00		
ovatus. July and August. Purplish blue. 2 to 3 ft.	25	2	00		

PHLOX amoena, May. Bright pink. 3 to 4 in \$0 Carolina, May and June. Rosy red. 1 ft	25 25	10 \$1 50 1 50	100 \$10 00
divaricata (Wild Sweet William). May and June. Lavender. 1 ftpaniculata; syn., decussata (Perennial Phlox).	25	1 50	12 50
See the Calendar of Hardy Perennials for Special List. All colors subulata (Mountain Pink). May and June. Rose.	25	2 00	15 00
Creeping	25	1 50	10 00
Creeping	25	1 50	10 00
ple. Creeping	25	1 50	
subulata, var. lilacina. May. Lilac. Creeping	25	1 50	12 50
subulata, var. Nelsoni. May and June. Pure			
white. Creeping	25	1 50	10 00
subulata, var. Model. May and June. Rosy white. Creeping	25	1 50	10 00
PHYSOSTEGIA Virginiana (False Dragonhead).			20 00
August. Deep rose. 3 ft	25	1 50	
Virginiana, var. alba. August. White. 3 ft	25	1 50	10 00
Virginiana, var. speciosa. August. Pink. 3 ft	25	1 50	10 00
PLATYCODON grandiflorum (Balloon-flower). July.	20	1 50	10 00
Blue. 1½ ft	25	1 50	
grandiflorum, var. album. July. White. $1\frac{1}{2}$ ft	25	1 50	
grandiflorum, var. Mariesi. June to October.	20	1 50	
Blue. 1 ft	25	1 50	12 50
POLEMONIUM cœruleum (Jacob's Ladder). May to			
July. Deep blue. 1½ ft	25	2 00	15 00
cæruleum, var. album, May to July, White.			
cæruleum, var. album. May to July. White.	25	2 00	
PRIMULA acaulis (Primrose). May. Yellow. 6 to 9 in:	25	1 50	12 50
capitata (Primrose). Deep lilac. 9 in	25	1 50	12 50
suaveolens (Cowslip). May. Yellow and orange.			
1 ft	25	1 50.	12 50
veris (Polyanthus). May. Yellow and orange-			
crimson. 6 to 9 in	25	1 50	12 50
vulgaris (English Primrose). May. Yellow.	0.5	1 50	10.50
6 to 9 in.	25	1 50	12 50
PYRETHRUM roseum (Feverfew). June and July.	95	1 50	10.00
White, pink and red. $1\frac{1}{2}$ to 2 ft	25	1 50	10 00
roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	35	3 00	
RANUNCULUS aconitifolius fl. pl. (Crow's-foot). June White. $1\frac{1}{2}$ to 2 ft	25	1 50	
acris fl. pl. (Yellow Bachelor's Buttons). June.	20	1 00	
Yellow. 2 ft.	25	1 50	
repens (Double Buttercup). May to July. Yellow			
1 ft	25	1 50	10,00
ROSMARINUS officinalis (Rosemary). Scented foliage	25	1 50	
RUDBECKIA laciniata, var. Golden Glow. July to			
September. Yellow. 8 ft	25	1 25	10 00
Newmani. August and September. Yellow. $1\frac{1}{2}$ ft.	25	1 50	10 00
nitida (Cone-flower). August and September.		1 10	10.00
Pale yellow. 5 ft	. 25	1 50	10 00

SALVIA argentea. June. White, white foliage. 2 ft \$0	Each) 25	$\overset{10}{\$1}\overset{50}{50}$	100 810 00
Caucasicum. July and August. Reddish purple.	25	1 50	10 00
pratensis (Meadow-sage). June to September. Deep blue. 2 to 3 ft	25	1 50	10 00
SANGUINARIA Canadensis (Bloodroot). White.	ن ن	1 30	10 00
April. 6 in	25	1 50	10 00
SANTOLINA incana (Lavender Cotton). July. Deep		1 00	2000
yellow. 1 ft	25	1 50	10 00
SAXIFRAGA cordifolia (Rockfoil). April to June. Rosy purple. 15 in	25	2 00	15 00
SCABIOSA Caucasica (Mourning Bride). Lavender-			
blue. June. 15 to 18 in	35	2.50	15 ()()
SEDUM acre (Golden Moss). May and June. Yellow.			
Spreading	25	1 25	10 00
album. July. White. 4 to 6 in.	25	1 25	10 00
Rhodiola. August. Light pink. 1 ft	25	1 25	10 00
sexangulare (Stonecrop). June and July. Yellow.	0=	1 0-	10 00
6 in	25	1 25	10 00
October. Rose. 12 to 15 in	25	2 ()()	15 00
spectabile, var. atropurpurea. September and	20	2 00	10 00
October. Purplish crimson. 15 in	25	2 00	15 00
telephoides. July and August. Pink. 1 ft	25	2 00	15 00
SENECIO clivorum. Summer. Yellow. 3 ft	35	2 50	15 00
pulcher (Groundsel). July to October. Rosy			
purple. $1\frac{1}{2}$ to 2 ft	25	1 50	
SILENE Pennsylvanicum (Wild Pink). April and			
May. Rose or white. 9 in	25	1 25	10 00
SMILACINA racemosa (False Solomon's Seal). April.			
White. 1½ ft	25	1 50	
SPIRÆA (Goat's Beard, or Meadowsweet) aruncus.	0.*		
June and July. White. 4 to 5 ft.	35	2 50	15 00
filipendula fl. pl. June and July. White. 2 ft	25	1 50	12 50
lobata, July. Pink. 3 to 4 ft.	25 25	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	15 00 15 08
palmata. June and July. Deep crimson. 2 ft palmata, var. elegans. June and July. White;	25	2 30	15 00
crimson anthers. 3 ft	25	2 00	
Ulmaria. June and July. White. 3 ft.	25	2 00	
venusta. June and July. Deep pink. Fragrant.			
3 ft	25	3 00	
STACHYS Betonica; syn., Betonica rosea. July and			
August. Rose. 1 ft.	25	1 50	12 - 50
STATICE Tatarica (Sea Lavender). June to August.			
Red. 15 to 18 in	25	1.50	1() ()()
latifolia (Great Sea Lavender). July and August.	2.0		70 00
Deep blue. 2 ft.	2.5	1 .50	10 00
STOKESIA cyanea (Stokes' Aster). July to October.		.) ()()	15 00
Lavender. 1½ ft	25 50	2 00 3 50	15 00
cyanea, var. alba. July to October. White. 1½ ft.	.)()	.) .)()	
TANACETUM globiferum (Tansy). August. Gelden	25	1 50	10 00
yellow. 3 ft)	1 .,()	10 00

	ach	10)	100)
THALICTRUM adiantifolium (Meadow Rue). June. Yellow. 18 in	25	\$1	50	\$10	00
aquilegifolium (Feathered Columbine). June.	20	ФТ	50	φισ	00
White. 2 to 4 ft.	25	1	50		
polyganum (Tall Rue). June. White. 3 to 4 ft	25		50		
purpurascens. June to August. Purple. 3 to 4 ft.	25		50		
THERMOPSIS Caroliniana. June. Yellow. 3 to 4 ft. mollis. May to July. Yellow. 2 to 3 ft	$\begin{array}{c} 25 \\ 25 \end{array}$		50 50		
THYMUS montanus, var. coccineus (Scarlet Thyme).	0.5	-	F0		
May. Bright red. 4 invulgaris (Common Thyme). May. Lilac. 1 to 2 ft.	25 25	_	50 25		
TRADESCANTIA Virginiana (Spiderwort). June and	20	.1	20		
July. Purple. 2 ft	25	1	50	12	50
Virginiana, var. alba. June and July. White. 2 ft.	25		50		50
TRILLIUM erectum (Wake Robin). March and April.					
Purple. 9 to 12 in.	25	1	50		
grandiflorum (Wood Lily). March and April.	0.5	4	-0		
white, 9 to 12 in	25	1	50		
TROLLIUS Europæus (Globe-flower). May to August. Yellow. 2 ft.	25	1	50	19	50
VALERIANA coccinea (Valerian). June to October.	20		00	. 12	00
Reddish. 2 ft	25	1	50	10	00
officinalis (Hardy Heliotrope). June and July.					
Rose-pink. 2 ft.	25	_	50		00
rubra. June to October. Red. 2 ft.	25	1	50	10	00
VERBASCUM Olympicum (Mullein). July to September. Yellow, 6 ft	25	1	50	19	50
VERNONIA Arkansana (Ironweed). August to Octo-	20	1	50	1	30
ber. Red. 5 ft.	25	2	00		
Baldwini. August to October. Purple. 4 ft	25	2	00		
VERONICA longifolia, var. rosea (Speedwell). July		41			
to October. Rose. $1\frac{1}{2}$ ft	25	1	50		
longifolia, var. subsessilis. August to November.	25	9	00		00
Deep blue. $1\frac{1}{2}$ to 2 ftrupestris (Rock Speedwell). June and July. Blue	20	4	00	19	.00
Spreading	25	1	50	10	00
spicata. June to September. Bright blue. $1\frac{1}{2}$ ft	25	1	50	10	00
Virginica. August to September. White. 4 ft	25	1	50	10	00
VINCA minor (Periwinkle). May. Bright blue.	0.11		~ .		
Spreading.	25	1	50	10	00
VIOLA pedata, var. bicolor (Bird's-foot Violet). May.	25	1	50	10	50
Purple and white. 4 in	25		25		00
AMA-12-VA	20	1	20	10	00

A CALENDAR OF PERENNIALS

This booklet, in a new revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

FERNS

- ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions.
 ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.
 Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.
 Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
 marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.
- marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils. **ASPLENIUM Filix-fœmina** (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.
- BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.
 DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions;
- forms large plantations.

 ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet
- soils.

 Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils
- OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils.
- Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils. cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.
- WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.
- WOODWARDIA angustifolia (Chain Fern), 1 ft. Open or shaded positions, in moist soils.
- The above varieties, 25 cts. each, \$2 per 10, \$15 per 100. The above collection, 15 varieties \$3.
- 100 in 5 varieties, our selection, \$12.50.

HEDGE PLANTS

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREEN TREES

Biota orientalis	Retinospora plumosa aurea 11 Thuya occidentalis 13 occidentalis Wareana 14 Tsuga Canadensis 14			
DECIDUOU	JS TREES			
Carpinus Americana. 24 Betulus. 24 Cratægus Crus-galli. 26	Cretægus Oxyacantha.26Fagus sylvatica.26Maclura aurantiaca.28			
EVERGREEN SHRUBS				
Azalea amœna .15 Buxus sempervirens .15 sempervirens suffruticosa .16	Ilex crenata microphylla			
DECIDUOUS SHRUBS				
Acanthopanax spinosa	Hippophae rhamnoides			

OUR CATALOGS

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.

- PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- BOOKLET No. 27, BEAUTIFUL LAWNS. This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- **BOOKLET No. 28, BOXWOOD.** For formal gardens and in connection with architectural effects, **BOXWOOD** is now absolutely necessary. This booklet shows the different forms we offer.
- BOOKLET No. 30, HINTS FOR SUCCESSFUL PLANTING. Does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.
- BOOKLET No. 33-26, A CALENDAR OF HARDY PERENNIALS. with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs, the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).

DEPARTMENTS

PAGE	PAGE
Fertilizers	Vines and Climbing Plants47
General Instructions and Terms 3	
Evergreen Trees 4	
Evergreen Shrubs	
Deciduous Trees	
Deciduous Shrubs	Hedge Plants
Reeds and Grasses	Catalogs

INDEX

	INDLA	
PAGE	PAGE	PAGE
Aaron's Beard40	Baby's Breath56	Catalpa 24
Abelia	Baccharis	Ceanothus
Abies 4	Bambusa47	Cedar
Acanthus	Baptisia	Cedrela
		Cedrus 5
Acanthopanax33	Barberry35	
Acer	Basswood32-33	Celastrus
Achillea	Beard Tongue59	Celtis
Aconitum	Bear's Breech51	Cephalanthus36
Actinidia	Beauty-fruit	Cephalotaxus 5
Adam's Needle 20	Beech	Cerastium 54
Adiantum	Belemcanda53	Cerasus 16, 25
Æsculus23, 33	Bell-flower	Ceratostigma, 54
Ailanthus	Bellis	Cercidiphyllum25
Ajuga51	Benzoin	Cercis
Akebia	Berberis	Chamædaphne 16
Alder	Betonica. See Stachys.	Chamomile52
Allspice, or Sweet Shrub 35	Betula24	Chaste Tree 47
Alnus	Bignonia	Chelone
Althæa (see, also, Hibis-	Balloon-flower 60	Cherries 49
cus)39, 40, 51	Biota 4, 5	Cherry
Alum Root56	Birch	Chestnut 24, 49
Alvssum	Bittersweet	Chinese Angelica Tree 23
Amelanchier23, 33	Black Alder	Chinese Arborvitæ 5
Amorpha34	Blackberries	Chinese Cork Tree 29
	Black Haw 47	Chionanthus
Ampelopsis		
Anchusa	Black Walnut27	
	Bladder Nut44	Christmas Rose56
Andromeda (see, also,	Bladder Senna	Chrysanthemum54
Oxydendrum) 15, 23	Blanket-flower	Chrysogonum54
Anemone	Blazing Star	Chrysopsis54
Anthemis	Bleeding Heart 55	Cimicifuga
Apples	Blue Spirea35	Cineraria. See Artemisia.
Aquilegia52	Bocconia53	Cinquefoil 42
Arabis	Boltonia	Cladrastris25
Aralia	Botrychium 63	Clematis
Arborvitæ4, 5, 13	Box 15–16	Clethra 36
Arenaria52	Bridal Wreath44	Columbine
Aristolochia57	Broussonetia24	Colutea
Armeria	Buckthorn 43	Comptonia
Aronia. See Pyrus .	Butterfly Weed53	Cone-flower
Arrow-wood	Buttonwood30	Conoclinium 54
Artemesia53	Buxus 15-16	Convallaria 54
Arundo	Calimeris	Coral Berry 44
Asclepias	Callicarpa35	Corchorus
Ash27, 32	Callirhoe	Coreopsi
Asparagus50	Calveanthus	Cornus 25, 36, 37
Aspidium	Campanula54	Corylus
Asplenium	Candytuft 57	Cotoneaster16, 37
Aster53	Caragana35	Crab Apples 30
Astilbe53	Cardinal-flower58	Cranberry Bush46
Astrantia		Cratægus 17, 25, 26
Aubrietia53	Carpinus24	Cryptomeria 5
Agoloo 15 04 07	Caryopteris35	Cucumber Tree 28
Azalea15, 34, 35	Castanea24	Queumber 11ee20

PAGE	PAGE	nice
Cupressus	Gleditschia27	Kniphofia58
Currant	Globe-flower	Kœlreuteria
Cydonia	Goat's Beard	Kudzu Vine48
Cyproce 0 12 32	Gold-flower	Larch27
Cypress 9, 12, 32 Cytisu	Golden Bell39	Larix
Daisy 53	Golden Chain 26	Larkenur 54
Daisy 53 Day Lily 55-56 Daphne 17	Golden Chain	Larkspur
Daphne 17	Clyptostrobus See Tay-	Lathylus46, 56
Deciduous Shrubs 33-47	odium.	Laurel
Deciduous Trees 20–33	Gooseberries 49	Lavender58
Delphinium55	Grapes	Lavender-cotton61
Desmodium See Les-	Groundsel Shrub 35, 61	Lespedeza40
Desmodium. See Lespedeza	Guelder Rose	Liatris
Deutzia37, 38	Guelder Rose	Ligustrum40-41
Dianthus	Gynsophila 56	Lilac
Dicentra 55	Halesia 30	Lilium
Dicentra	Halesia	Lily-of-the-valley54
Dictamnus	Hardy Roses 50-51	Linden32–33
Diervilla38	Hawthorn	Linum
Digitalis	Hazel37	Liquidambar28
Digitalis	Hedera	Liriodendron28
Diospyros	Hedge Plants63	Liver Leaf56
Dolighos See Puereria	Helenium56	Lobelia 58
Doronicum55	Helianthus56	Lobelia
Dutchman's Pipe47	Heliopsis56	Lordon Drido
Echinacea	Helleborus	Lonicera41, 42, 48
Elæagnus	Hemorocallia or Day	Loosestrife58
Elder	Hemerocallis, or Day Lily56	Lychnis
Elm	Hamlask 14	Lycium42
Elymus	Hemlock	Lysimachia
English Primrose 60	Herbaceous Plants . 51-62	Lythrum
English Ivy48	Houghers 56	Maclura 28
Erianthus	Heuchera	Magnolia
Erigeron55	High Cranberry Bush 46	Mahonia
Eryngium55	Hippophae40	Maidanhair Troo
Esculent Roots 50	Holly	Maidenhair Tree
Eulalia47	Hollyhooks (see also	Matrimony Vine 42
Fuonymus 17 20 49	Hollyhocks (see, also, Althæa)51	Meadow Rue 61
Euonymus17, 39, 48 Eupatorium55	Honey Locust	Mondow Sweet 61
Euphorbia55	Honeysuckle 41, 48	Meadow Sweet 61 Mertensia
Evening Primrose59	Hop Tree30	Mint-flower 54
Evergreen Shrubs 15-20	Hornbeam	Mist, or Smoke Tree 43
Evergreen Thorn 17	Horse-chestnut23	Mock Orange42
Evergreen Trees 4-15	Hydrangea40	Monarda59
Everlasting Pea48	Hypericum40	Moneywort58
Exochorda	Iberis57	Moonkshood 51
Fagus26	Ilex 5, 17, 40	Morus
Ferns	Inula	Mountain Ach 37
Festuca	Trie 57	Mourning Bride 61
Feverfew	Iron Weed 62	Mourning Bride 61 Mulberry 24, 29 Myosotis 59 Myrica 42
Fir 4	Itei 40	Myosotis 59
Flame-flower58	Jacob's Ladder60	Myrica 42
Flowering Almond43	Japanese Maples 22–23	Negundo. See Acer Ne-
Flowering Crab30	Japan, or Boston Ivy. 27	gundo.
Forget-me-not59	Japan Cypress 9	Nepeta59
Forsythia	Japan Judas 36	Nettle Tree25
Foxgloves	Japan Judas	Nuts
Fox Grape 48	Japanese Snowball 46	Nyassa
Fraxinus 27	Jasmine	Oak
Fraxinus	Jasminum 40	Œnothera59
Funkia	Jersey Tea36	Old Man53
Gaillardia56	Judas Tree25	Old Woman53
Galega56	Juglans27	Oleaster
Gas Plant	Juneberry	Onoclea 63
Geranium58	Juniper 5	Ophiopogon 59
German Catchfly56	Juniperus 5	Oriental Plane30
Geum	Juniperus	Oriental Poppy59
Gillenia	Kentucky Coffee Tree 27	Osage Orange 28
Ginkgo32	Kerria, See Corchorus 43	Osmanthus17

PAGE	PAGE	PAGE
Osmunda63	Ribbon Grass47	Sweet Shrub35
Oswego Tea, or Fragrant	Ribes	Sycamore30
Balm59	Robinia	Symphoricarpus44
Oxydendrum	Rock Cress52	Syringa
Pæonia 59	Rockfoil 61	Tanacetum61
Pachysandra59	Rose Acacia 43	Tamarix
Papaver	Rose Campion 58	Taxodium
Pardanthus. See Belem-	Rosemary	Taxus
canda.	Rose of Sharon39, 40	Tecoma. See Bignonia.
Parrotia29	Roses	Thalictrum
Paulownia	Rosy Milfoil	Thermopsis
Peaches	Rubus	Thorn, Evergreen17
Pearl Bush39	Rudbeckia 60	Thrift53
Pears	Rugosa Roses51	Thuya
Pentstemon59	Salisburia 32	Thuyonsis 12
Periploca48	Salix	Thuyopsis
Periwinkle62	Salvia 61	Tickseed
Persian Iron Tree 29	Sambucus	Tiger Lily
Persica	Sandwort	Tilia 32–33
Persimmon26	Sanguinaria	Tradescantia62
Phalaris	Santolina	Tree of Heaven23
Phellodendron29	Saxifraga	Trillium
Philadelphus42	Scotch Broom37	Trollius
Phillyrea	Scabiosa	Trumpet Vine47
Phlox	Sciadopitys	Tsuga14
Physostegia	Sea Buckthorn 40	Tulip Tree28
Picea	Sea Holly55	Ulmus
Pine8-9, 11	Sea Lavender61	Umbrella Tree 28
Pinks	Senecio	Vaccinium46
Pinus 8-9	Sedum	Valeriana
Plane	Sheepsberry	Valerian
Platycodon	Shrubby Cinquefoil42	Verbascum
Plumbago54	Silene	Vernonia
Plums	Silk Vine48	Veronica 62
Podocarpus9	Small Fruits49	Viburnum
Polemonium 60	Smilacina	Vinca 62
Poplar 30	Snakeroot	Vines an Climbing Plants
Populus	Snowball	Plants 47, 48
Poppy53, 59	Snowberry44	Viola
Potentilla42	Sophora32	Virgilia. See Cladrastris.
Primrose 59-60	Sorbus	Virginia Creeper47
Primula 60	Speedwell	Vitex
Privet	Spice Bush35 Spiderwort62	Vitis48
Prunus. See, also,	Spiderwort	Wax Myrtle42
Cerasus30, 43	Spindle Tree39	Wayfaring Tree 46 Weigela
Pseudotsuga 9 Ptelea 30	Spiræa43, 44, 53, 61 Spruce7, 8, 9	White Fringe36
Pterostyrax	Stachys 61	White Rod
Pueraria	Staphylea	Wolf's-bane51
Purple Mist	Statice 61	Willow32
Pyrethrum60	Stephanandra45	Windflower51-52
Pyrus	Stokesia	Winola47
Quercus	Stokes' Aster	Winter Berry40
Quinces	Stonecrop	Winter Berry40 Wistaria48
Ranunculus	Strawberries 50	Witch Hazel39
Raspberries50	Strawberry Bush 39	Woodsia
Raspberries50 Red Bud, or Judas25	Styrax	Woodwardia63
Reeds and Grasses47	Sumac 31-32, 43	Xanthoceras
Retinospora 9	Sunflower	Xanthorrhiza47
Rhamnus	Swamp Huckleberry46	Yarrow
Rhododendron 18	Sweet Fern36	Yellow Wood25
Rhodotypus43	Sweet Gum28	Yew
Rhubarb	Sweet William54, 60 Sweet Pepper Bush36	Yucca
mus	Sweet repper bush36	

Plant for Immediate Effect

Not for Future Generations

Start with large stock—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

As an Example

Note in this Price-List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place,"

AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY
QUALITY IN TREES MEANS SUCCESSFUL PLANTING